

LOS RIOS COMMUNITY COLLEGE DISTRICT

PURCHASING: (916) 568-3071 ACCOUNTING: (916) 568-3065

FAX: (916) 568-3145

PURCHASE ORDER NO

0001076249

PLEASE SEE REVERSE SIDE FOR SPECIAL INSTRUCTIONS, TERMS AND CONDITIONS.

Date 05/13/2014	Revision	Page 1
Payment Terms NET 30	Freight Terms Shipping Point	Ship Via Best Metho
Reference: 1005985 JOHNSONC POONV	Location / Dept 04ASPH176 AR	

Vendor: 0000035087
KELLER GROUP
3041 65TH ST STE 3
SACRAMENTO CA 95820

Phone: (916) 737-3300
Fax: (916) 737-3305

email:

Ship To: FOLSOM LAKE COLLEGE
RECEIVING
10 COLLEGE PARKWAY
FOLSOM CA 95630
United States

Bill To: 1919 Spanos Court
Sacramento CA 95825-3981
United States

Tax Exempt? N

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
1- 1	WORKSTATIONS, EQUIPMENT TO RECONFIGURE 2 ADMISSIONS AND RECORDS IN FL1-176	1.00	LOT	11,200.60	11,200.60	05/27/2014
2- 1	DESIGN, TIME FOR STATIONS	1.00	JOB	1,170.00	1,170.00	05/27/2014
3- 1	ASSEMBLY, OF WORKSTATIONS	1.00	JOB	1,800.00	1,800.00	05/27/2014

PROPOSAL # 100825 DATED 4/30/14

FAX PO

Sub Total Amount	14,170.60
Sales Tax Amount	1,040.05
Total PO Amount	15,210.65

<u>BU</u>	<u>Acct</u>	<u>Fd</u>	<u>Org</u>	<u>Prog</u>	<u>Sub</u>	<u>Proj</u>	<u>Amount</u>	<u>BYear</u>
GENFD	6490	11	FL.VA.PROJ	62100	00000	101E	15,210.65	2014

0001005985KIRKLINK01-MAY-2014

Verification of this purchase order can be made using the Los Rios Community College District web site listed below. If you have any questions, please contact the Purchasing Office at (916) 568-3071.

<http://www.losrios.edu/purchasing/povalidation>

All shipments, invoices, and correspondence must be identified with our Purchase Order Number. Overshipments will not be accepted unless authorized by Buyer prior to shipment.

Authorized Signature

JPWalters 5/19/2014

Notice to vendor: You are responsible for delivering goods and delivery documents to the Receiving Department at the site. Failure to do so will delay payment processing. Vendor is responsible for obtaining verification of delivery by authorized Receiving Room personnel. Receipt of goods by other parties and failure to obtain authorized signatures may also delay payment. NOTE: PAYMENT TERMS NET 30 MATERIAL SAFETY DATA SHEETS (MSDS) must be provided with the delivery of product as required by law.

LOS RIOS COMMUNITY COLLEGE DISTRICT

American River College • Cosumnes River College • Folsom Lake College • Sacramento City College

PURCHASE ORDER TERMS AND CONDITIONS

1. **APPLICABLE LAW:** The contract resulting from this order shall be governed by the laws of the State of California
2. **COMPLETION OF ORDERS:** LRCCD reserves the right to withhold payment until order is completed.
3. **DISCOUNTS:** Please show cash payment discount offered on your invoice in connection with any discount offered, time will be computed from date of delivery of the supplies or equipment, or from date correct invoices are received in the office specified by LRCCD if the latter date is later than the date of delivery. Payment is deemed to be made for the purpose of earning discount, on the date payment is mailed or on behalf of LRCCD.
4. **INVOICES:** Invoices shall be prepared and submitted in duplicate unless otherwise specified. Invoices shall contain Purchase order number, date, description of items, sizes and quantities, unit prices, extended totals, place and date of delivery. Invoices or vouchers not on printed bill heads shall be signed by the CONTRACTOR or person furnishing the supplies or services. Every invoice shall be properly itemized. If LRCCD has not received billing for product or services within a one year period LRCCD will not be held responsible for satisfying the debt.
5. **CHANGES:** No change or modification in terms, quantities, or specifications may be made without express authorization in writing from the LRCCD Purchasing Office and signed by the parties hereto, and no oral understanding or agreement not incorporated herein shall be binding on any of the parties hereto. If unit cost of any item exceeds the amount shown by 10% or \$250.00 whichever is less do not ship. Contact LRCCD Purchasing at the phone number provided.
6. **BILL OF LADING:** If Bill of Lading is applicable to this order, send originals to "Ship to" address and duplicate Bill of Lading with invoices to "Bill to" address. All correspondence, invoices, bills of lading, shipping memos, packages, etc., must show purchase order number. If factory shipment, advise factory to comply.
7. **TRANSPORTATION CHARGES:** Invoices for prepaid transportation charges must be supported by original receipted expense bills.
8. **FOB POINT AND FREIGHT CHARGES:** Unless otherwise specified on this order, all items shall be delivered FOB Destination. No charge for delivery, drayage, express, parcel post, packing, cartage, insurance, license fees, permits, or for any other purpose will be paid by LRCCD unless expressly included and itemized in the order. Unless otherwise shown, on "FOB Shipping Point" transactions, CONTRACTOR shall arrange for lowest cost transportation, prepay and add freight to invoice and furnish supporting freight bills if the amount exceeds \$50.00. On "FOB Shipping Point" transactions, should any shipments under this purchase order be received by LRCCD in a damaged condition and any related freight loss and damage claims filed against the carrier or carriers be wholly or partially declined with the inference that damage was the result of the act of the shipper such as inadequate packaging or loading or some inherent defect in the equipment and/or material, CONTRACTOR on request of LRCCD shall at CONTRACTOR's own expense assist LRCCD in establishing carrier liability by supplying evidence that the equipment and/or materials was properly constructed, manufactured, packaged, and secured to withstand normal transportation conditions. Shipments that are California intrastate in nature and where freight is to be borne by LRCCD shall be tendered to carriers with written instructions that rate and charges may not exceed the lowest lawful rates on file with the California Public Utilities Commission.
9. **PATENT INDEMNITY:** The CONTRACTOR shall hold LRCCD, its officers, agents and employees harmless from alleged liability of any nature or kind, including costs and attorney fees and expenses, for infringement or use of any copyrighted or uncopyrighted composition, secret process, patented or unpatented invention, article or appliance furnished or used in connection with the contract or purchase order.
10. **TAXES:** Certain articles sold to LRCCD are exempt from certain Federal excise taxes. LRCCD will reimburse the CONTRACTOR for, or pay directly, all California State and local sales and use taxes applicable to this purchase.
11. **EQUAL OPPORTUNITY EMPLOYER:** The acceptance of this purchase order by a supplier of goods and services is a certification that such supplier complies with all provisions of executive order 11246 and is an equal opportunity employer.
12. **GENERAL SAFETY ORDERS:** All materials, supplies and services sold to LRCCD shall conform to the general safety orders of the State of California. All materials, except as otherwise specified, must be new and of the best quality of their respective kinds.
13. **INDEMNIFICATION:** CONTRACTOR shall indemnify, defend and hold harmless LRCCD, its trustees, officers, agents, employees and volunteers, from any and all claims, demands, suits, causes of action, damages, penalties, breaches of this agreement, infringement of patent rights, costs, expenses, violations of employee occupational health and safety laws, attorney fees, losses or liability, property damage, personal injuries to or death of persons, arising out of, alleged to have arisen out of, or relating in any way to CONTRACTOR's work to be performed under this agreement, except if caused solely by the negligence of LRCCD.
14. **TERMINATION:** LRCCD may terminate this agreement and be relieved of the payment of any consideration to CONTRACTOR should CONTRACTOR fail to perform the covenants herein contained at the time and in the manner herein provided. In the event of such termination LRCCD may proceed with the work in any manner deemed proper by LRCCD. The cost to LRCCD shall be deducted from any sum due the CONTRACTOR under this agreement and the balance if any, shall be paid the CONTRACTOR upon demand.
15. **ASSIGNMENT:** Without the written consent of LRCCD, this agreement is not assignable by CONTRACTOR either in whole or in part.
16. **PUBLIC WORKS PROJECTS:** CONTRACTOR must comply with Public Contract Code.
17. **CA LABOR CODE:** Pursuant to Section 1700, and following, the CONTRACTOR shall pay not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations. Copies of such prevailing rate of per diem wages are on file at the Business Office of the Los Rios Community College District, 1919 Spanos Court, Sacramento, CA 95825. Those copies shall be made available to any interested party upon request. The CONTRACTOR shall forfeit, as penalty to the LRCCD, Fifty Dollars (\$50.00) for each calendar day or portion thereof, for each workman paid less than the stipulated prevailing rates for any work done under the contract by him/her or by any subcontractor under him, in violation of the provisions of such Labor Code.
18. **NOTICE:** Your employees may be exposed to hazardous substances during the course of their work while on LRCCD property. For additional information on the hazardous substances that your employees may be exposed to contact the LRCCD General Services Department at (916) 568-3048.
19. **INSURANCE:** CONTRACTOR shall, at all times, maintain in full force and effect the following insurance: Workers' Compensation, Commercial General Liability, Auto Liability, and Professional Liability if licensed professional. Policy limits for each shall be at least \$1,000,000 AND \$3,000,000 AGGREGATE for bodily injury, personal injury and property damage. Any combination of General Liability and Excess Coverage can be combined to meet the Aggregate. LRCCD shall be named as an additional insured on CONTRACTOR's policies. The CONTRACTOR shall provide a certificate of insurance and required endorsements to comply with this section at least 15 days prior to commencement of work under this contract. The certificate shall state that LRCCD will be given 30 days notice of any material change or cancellation in coverage.
20. **DISQUALIFIED EMPLOYEES:** CONTRACTOR shall ensure that persons who perform services on LRCCD property have not been convicted of any felony, or any controlled substance offense or any sex offense as those terms are defined by Education Code section 87008-87010. If LRCCD determines that any person employed by CONTRACTOR to work on LRCCD property is incompetent, unfaithful, intemperate, disorderly, abusive or is otherwise unsatisfactory, CONTRACTOR shall cause that employee to be removed from working on LRCCD property immediately, and that person shall not be employed again on LRCCD property.
21. **WORK AUTHORIZATION:** Prior to LRCCD's acceptance of this Agreement, CONTRACTORS who are not U.S. citizens must provide verification of (a) work authorization status from the appropriate U.S. Department of State; (b) a copy of their U.S. visa; (c) the number of days present in the U.S.; and (d) tax treaty status. LRCCD shall not make any payments to CONTRACTOR unless CONTRACTOR holds the appropriate U.S. visa. CONTRACTOR is responsible for ensuring they are in possession of the appropriate visa.
22. **WARRANTY:** CONTRACTOR expressly warrants that all materials, goods, equipment, services, and/or labor shall conform to the requirements set forth or incorporated into this order and any applicable industry standards or requirements, shall be merchantable and free from defects in workmanship, materials and/or design (including latent defects), and shall perform as specified. CONTRACTOR further warrants that all materials, goods, equipment, services, and/or labor will be fit and sufficient for the particular purposes intended by LRCCD. Unless agreed upon otherwise between LRCCD and CONTRACTOR, the warranty period shall be the longer of: (a) any express warranty included in this service agreement; (b) one year after the materials, goods, equipment, services, and/or labor are accepted by LRCCD; or (c) any warranty period provided under any applicable California law.

Requisition

Vendor: KELLER GROUP
 3041 65TH ST STE 3
 SACRAMENTO CA 95820
 United States

Ship To: RECEIVING
 10 COLLEGE PARKWAY
 FOLSOM CA 95630

Business Unit: GENFD		APPROVED
Req ID:	Date	Page
0001005985	05/01/2014	1
Requester		Bldg#
Colleen R Johnson		AR
Requester Signature		
Buyer: Vivian Poon		
Approved: KIRKLINK 01-MAY-2014		

Line-Schd	Description	Quantity	UOM	Price	Extended Amt	Due Date
1-1	EQUIPMENT TO RECONFIGURE 2 ADMISSIONS AND RECORDS WORKSTATIONS IN FL1-176	1	JOB	11,200.60	11,200.60	05/15/2014
ASSET DEPT: AR		LOCATION: 04ASPH176		CATEGORY: FURN		1
2-1	DESIGN TIME FOR STATIONS	1	JOB	1,170.00	1,170.00	05/15/2014
ASSET DEPT: AR		LOCATION: 04ASPH176		CATEGORY: FURN		1
3-1	ASSEMBLY OF WORKSTATIONS	1	JOB	1,800.00	1,800.00	05/15/2014
ASSET DEPT: AR		LOCATION: 04ASPH176		CATEGORY: FURN		1
Total Requisition Amount:					<u>14,170.60</u>	

PROPOSAL # 100825
 TAX \$1,040.04
 PO TOTAL \$15,210.64

BACK UP DOCUMENTATION FORWARDED BY INTERCAMPUS MAIL.

****PLEASE PROCESS THIS REQUISITION IMMEDIATELY. THANK YOU.

<u>BU</u>	<u>Acct</u>	<u>Fd</u>	<u>Org</u>	<u>Prog</u>	<u>Sub</u>	<u>Proj</u>	<u>Amount</u>
GENFD	6490	11	FL.VA.PROJ	62100	00000	101E	14,170.60

Approval Signature	Approval Signature	Approval Signature
--------------------	--------------------	--------------------



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
MAKE PURCHASE ORDER OUT TO:					
KELLER GROUP 3041 65TH STREET SUITE 3 SACRAMENTO, CA 95820					
SMALL BUSINESS CERTIFICATION # 8541					
1	2	TK06524W R \$(COREP1) .P01	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX24W Core Clr Opt\$ CLR: Driftwood de-emph 4/12/09 Tag(s): 2487F BASE FRAME	95.60	191.20
2	2	TK02224	TER DNA STACKING PANEL FRAME 22.5HX24W Tag(s): 2487F STACKING FRAME	76.40	152.80
3	8	TKSK24	TER DNA 24W SEGMENT KIT Tag(s): 2487F	5.60	44.80
4	2	TK44224T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 24W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 2487F FB1	43.60	87.20



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
5	2	TK42224T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 24W GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 2487F FB2	31.20	62.40
		\$ (1)			
		.SRT			
		918			
6	2	TK42224T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 24W GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 2487F FB2	31.20	62.40
		\$ (1)			
		.SRT			
		918			
7	2	TK44224T	TER DNA TACKABLE ACOUSTIC TILE 42H X 24W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 2487F FB1	43.60	87.20
		\$ (1)			
		.RFG			
		996			
8	2	TK42224T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 24W GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 2487F FB2	31.20	62.40
		\$ (1)			
		.SRT			
		918			
9	2	TK42224T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 24W GRD 1 FAB FAB: SARTO CONTINUED...	31.20	62.40
		\$ (1)			
		.SRT			



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		918	CLR: OYSTER Tag(s): 2487F FB2		
10	2	TK324PT \$(COREP1) .P01	TOP TRIM 24W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 2487F	11.20	22.40
11	1	TK06530W R \$(COREP1) .P01	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX30W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3087F BASE FRAME	98.40	98.40
12	1	TK02230	TER DNA STACKING PANEL FRAME 22.5HX30W Tag(s): 3087F STACKING FRAME	77.60	77.60
13	4	TKSK30	TER DNA 30W SEGMENT KIT Tag(s): 3087F	5.60	22.40
14	1	TK44230T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 30W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3087F FB1	49.60	49.60



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
15	1	TK42230T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 30W \$(1) .SRT 918 GRD 1 FAB FAB: Sarto Clr: Oyster Tag(s): 3087F FB2	34.00	34.00
16	1	TK42230T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 30W \$(1) .SRT 918 GRD 1 FAB FAB: Sarto Clr: Oyster Tag(s): 3087F FB2	34.00	34.00
17	1	TK44230T	TER DNA TACKABLE ACOUSTIC TILE 42H X 30W \$(1) .RFG 996 GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3087F FB1	49.60	49.60
18	1	TK42230T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 30W \$(1) .SRT 918 GRD 1 FAB FAB: Sarto Clr: Oyster Tag(s): 3087F FB2	34.00	34.00
19	1	TK42230T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 30W \$(1) .SRT CONTINUED...	34.00	34.00



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		918	Clr: Oyster Tag(s): 3087F FB2		
20	1	TK330PT \$(COREP1) .P01	TOP TRIM 30W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3087F	13.20	13.20
21	2	TK06530W R \$(COREP1) .P01	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX30W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3087GT BASE FRAME	98.40	196.80
22	2	TK02230	TER DNA STACKING PANEL FRAME 22.5HX30W Tag(s): 3087GT STACKING FRAME	77.60	155.20
23	8	TKSK30	TER DNA 30W SEGMENT KIT Tag(s): 3087GT	5.60	44.80
24	2	TK44230T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 30W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3087GT FB1	49.60	99.20



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
25	2	TK42230T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 30W GRD 1 FAB FAB: Sarto Clr: Oyster Tag(s): 3087GT FB2	34.00	68.00
		\$(1) .SRT 918			
26	2	TK42230G K	TER DNA GLAZED TILE KIT 22.5H X 30W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Frosted Glass Tag(s): 3087GT CLEARGLS	248.00	496.00
		\$(COREP1) .P01 .F			
27	2	TK44230T	TER DNA TACKABLE ACOUSTIC TILE 42H X 30W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3087GT FB1	49.60	99.20
		\$(1) .RFG 996			
28	2	TK42230T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 30W GRD 1 FAB FAB: Sarto Clr: Oyster Tag(s): 3087GT FB2	34.00	68.00
		\$(1) .SRT 918			
29	2	TK330PT	TOP TRIM 30W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3087GT	13.20	26.40
		\$(COREP1) .P01			



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
30	1	TK06536W R \$(COREP1) .P01	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3687F BASE FRAME	102.00	102.00
31	1	TK02236	TER DNA STACKING PANEL FRAME 22.5HX36W Tag(s): 3687F STACKING FRAME	80.40	80.40
32	4	TKSK36	TER DNA 36W SEGMENT KIT Tag(s): 3687F	6.00	24.00
33	1	TK44236T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 36W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3687F FB1	54.40	54.40
34	1	TK42236T \$(1) .SRT 918	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 3687F FB2	38.40	38.40
35	1	TK42236T \$(1)	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W GRD 1 Fab CONTINUED...	38.40	38.40



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.SRT 918	FAB: Sarto Clr: Oyster Tag(s): 3687F FB2		
36	1	TK44236T	TER DNA TACKABLE ACOUSTIC TILE 42H X 36W	54.40	54.40
		\$(1) .RFG 996	GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3687F FB1		
37	1	TK42236T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W	38.40	38.40
		\$(1) .SRT 918	GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 3687F FB2		
38	1	TK42236T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W	38.40	38.40
		\$(1) .SRT 918	GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 3687F FB2		
39	1	TK336PT	TOP TRIM 36W	16.00	16.00
		\$(COREP1) .P01	Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3687F		



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
40	1	TK06536W R \$(COREP1) .P01	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3687GM BASE FRAME	102.00	102.00
41	1	TK02236	TER DNA STACKING PANEL FRAME 22.5HX36W Tag(s): 3687GM STACKING FRAME	80.40	80.40
42	4	TKSK36	TER DNA 36W SEGMENT KIT Tag(s): 3687GM	6.00	24.00
43	1	TK44236T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 36W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3687GM FB1	54.40	54.40
44	1	TK42236G K \$(COREP1) .P01 .C	TER DNA GLAZED TILE KIT 22.5H X 36W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Clear Glass Tag(s): 3687GM CLEARGLS	205.20	205.20
45	1	TK44236T \$(1)	TER DNA TACKABLE ACOUSTIC TILE 42H X 36W GRD 1 FAB CONTINUED...	54.40	54.40



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.RFG 996	FAB: Refuge Clr: Artesian Tag(s): 3687GM FB1		
46	1	TK42236T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W	38.40	38.40
		\$(1) .SRT 918	GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 3687GM FB2		
47	1	TK42236T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W	38.40	38.40
		\$(1) .SRT 918	GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 3687GM FB2		
48	1	TK336PT	TOP TRIM 36W	16.00	16.00
		\$(COREP1) .P01	Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3687GM		
49	2	TK06536W R	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W	102.00	204.00
		\$(COREP1) .P01	Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3687GT BASE FRAME		



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
50	2	TK02236	TER DNA STACKING PANEL FRAME 22.5HX36W Tag(s): 3687GT STACKING FRAME	80.40	160.80
51	8	TKSK36	TER DNA 36W SEGMENT KIT Tag(s): 3687GT	6.00	48.00
52	2	TK44236T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 36W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3687GT FB1	54.40	108.80
53	2	TK42236T \$(1) .SRT 918	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 3687GT FB2	38.40	76.80
54	2	TK42236G K \$(COREP1) .P01 .F	TER DNA GLAZED TILE KIT 22.5H X 36W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Frosted Glass Tag(s): 3687GT CLEARGLS	262.00	524.00



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
55	2	TK44236T	TER DNA TACKABLE ACOUSTIC TILE 42H X 36W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 3687GT FB1	54.40	108.80
		\$(1) .RFG 996			
56	2	TK42236T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 36W GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 3687GT FB2	38.40	76.80
		\$(1) .SRT 918			
57	2	TK336PT	TOP TRIM 36W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 3687GT	16.00	32.00
		\$(COREP1) .P01			
58	2	TK06542W R	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX42W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 4287GT BASE FRAME	105.20	210.40
		\$(COREP1) .P01			
59	2	TK02242	TER DNA STACKING PANEL FRAME 22.5HX42W Tag(s): 4287GT STACKING FRAME	83.20	166.40



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
60	8	TKSK42	TER DNA 42W SEGMENT KIT Tag(s): 4287GT	6.40	51.20
61	2	TK44242T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 42W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 4287GT FB1	60.80	121.60
62	2	TK42242T \$(1) .SRT 918	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 42W GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 4287GT FB2	42.80	85.60
63	2	TK42242G K \$(COREP1) .P01 .F	TER DNA GLAZED TILE KIT 22.5H X 42W Core Clr Opts CLR: Driftwood de-emph 4/12/09 Frosted Glass Tag(s): 4287GT CLEARGLS	278.80	557.60
64	2	TK44242T \$(1) .RFG 996	TER DNA TACKABLE ACOUSTIC TILE 42H X 42W GRD 1 FAB FAB: Refuge Clr: Artesian Tag(s): 4287GT FB1	60.80	121.60



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
65	2	TK42242T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 42W \$(1) .SRT 918 GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 4287GT FB2	42.80	85.60
66	2	TK342PT	TOP TRIM 42W \$(COREP1) .P01 Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 4287GT	18.80	37.60
67	1	TK06548W R	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX48W \$(COREP1) .P01 Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 4887F BASE FRAME	109.60	109.60
68	1	TK02248	TER DNA STACKING PANEL FRAME 22.5HX48W Tag(s): 4887F STACKING FRAME	85.60	85.60
69	4	TKSK48	TER DNA 48W SEGMENT KIT Tag(s): 4887F	6.80	27.20
70	1	TK44248T	TER DNA TACKABLE ACOUSTIC TILE 42H X 48W \$(1) .RFG 996 GRD 1 FAB FAB: Refuge Clr: Artesian CONTINUED...	66.40	66.40



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
			Tag(s): 4887F FB1		
71	1	TK42248T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 48W	46.00	46.00
		\$(1)	GRD 1 Fab		
		.SRT	FAB: Sarto		
		918	Clr: Oyster		
			Tag(s): 4887F FB2		
72	1	TK42248T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 48W	46.00	46.00
		\$(1)	GRD 1 Fab		
		.SRT	FAB: Sarto		
		918	Clr: Oyster		
			Tag(s): 4887F FB2		
73	1	TK44248T	TER DNA TACKABLE ACOUSTIC TILE 42H X 48W	66.40	66.40
		\$(1)	GRD 1 FAB		
		.RFG	FAB: Refuge		
		996	Clr: Artesian		
			Tag(s): 4887F FB1		
74	1	TK42248T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 48W	46.00	46.00
		\$(1)	GRD 1 Fab		
		.SRT	FAB: Sarto		
		918	Clr: Oyster		
			Tag(s): 4887F FB2		



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
75	1	TK42248T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 48W \$(1) .SRT 918 GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 4887F FB2	46.00	46.00
76	1	TK348PT	TOP TRIM 48W \$(COREP1) .P01 Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 4887F	20.80	20.80
77	1	TK06560W R	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX60W \$(COREP1) .P01 Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 6087F BASE FRAME	121.20	121.20
78	1	TK02260	TER DNA STACKING PANEL FRAME 22.5HX60W Tag(s): 6087F STACKING FRAME	89.60	89.60
79	4	TKSK60	TER DNA 60W SEGMENT KIT Tag(s): 6087F	7.20	28.80
80	1	TK44260T	TER DNA TACKABLE ACOUSTIC TILE 42H X 60W \$(1) .RFG 996 GRD 1 FAB FAB: Refuge Clr: Artesian CONTINUED...	76.80	76.80



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
			Tag(s): 6087F FB1		
81	1	TK42260T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 60W	50.40	50.40
		\$(1)	GRD 1 Fab		
		.SRT	FAB: Sarto		
		918	Clr: Oyster		
			Tag(s): 6087F FB2		
82	1	TK42260T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 60W	50.40	50.40
		\$(1)	GRD 1 Fab		
		.SRT	FAB: Sarto		
		918	Clr: Oyster		
			Tag(s): 6087F FB2		
83	1	TK44260T	TER DNA TACKABLE ACOUSTIC TILE 42H X 60W	76.80	76.80
		\$(1)	GRD 1 FAB		
		.RFG	FAB: Refuge		
		996	Clr: Artesian		
			Tag(s): 6087F FB1		
84	1	TK42260T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 60W	50.40	50.40
		\$(1)	GRD 1 Fab		
		.SRT	FAB: Sarto		
		918	Clr: Oyster		
			Tag(s): 6087F FB2		



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
85	1	TK42260T	TER DNA TACKABLE ACOUSTIC TILE 22.5H X 60W \$(1) .SRT 918 GRD 1 Fab FAB: Sarto Clr: Oyster Tag(s): 6087F FB2	50.40	50.40
86	1	TK360PT	TOP TRIM 60W \$(COREP1) .P01 Core Clr Opts CLR: Driftwood de-emph 4/12/09 Tag(s): 6087F	25.20	25.20
87	1	871024	PASS-THRU CABLE W/O POWER BLOCK 24W .P CLR: Black	46.00	46.00
88	1	871130	PASS-THRU HARNESS W/POWER BLOCK 30W .P CLR: Black	50.80	50.80
89	1	871136	PASS-THRU HARNESS W/POWER BLOCK 36W .P CLR: Black	50.80	50.80
90	1	871224	POWER HARNESS 24W .P CLR: Black	82.00	82.00
91	1	871230	POWER HARNESS 30W .P CLR: Black	82.00	82.00



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
92	3	871236 .P	POWER HARNESS 36W CLR: Black	82.00	246.00
93	1	871242 .P	POWER HARNESS 42W CLR: Black	87.20	87.20
94	1	871248 .P	POWER HARNESS 48W CLR: Black	87.20	87.20
95	1	871260 .P	POWER HARNESS 60W CLR: Black	87.20	87.20
96	3	873501 .E5	TER DNA/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 1 CLR: Driftwood	15.20	45.60
97	2	873502 .E5	TER DNA/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 2 CLR: DRIFTWOOD	15.20	30.40
98	2	873503 .E5	TER DNA/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 3 CLR: DRIFTWOOD	15.20	30.40
99	2	873504 .E5	TER DNA/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 4 CLR: DRIFTWOOD	15.20	30.40
100	1	899910	DOOR LEVER BRUSHED ALUMINUM KEY	112.40	112.40



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
101	1	OH1548FD	15H X48W FLIPPER DOOR OVERHEAD-NO PULL	237.20	237.20
		.YZ	Sys:Stride-Align-Terr-Concnsys		
		\$(CORE)	Core Clr Opts		
		.P01	CLR: Driftwood de-emph 4/12/09		
		.STD	Standard Random key		
102	1	TBPLATE3 -60	60W BASE RACEWAY COVER W/3 WINDOWS (KNOCKOUTS)	27.20	27.20
		\$(CORE)	Core Clr Opts		
		.P01	CLR: Driftwood de-emph 4/12/09		
103	1	TK18742D	TER DNA LAMINATE PANEL DOOR 87.5HX42W	1,038.80	1,038.80
		\$(COREP1)	Core Clr Opts		
		.P01	CLR: Driftwood de-emph 4/12/09		
		.LWD	LAM: Natural Maple previouslyD		
104	4	TK387L	"L" 90-DEGREE CONNECTOR KIT 87.5H	72.40	289.60
		\$(COREP1)	Core Clr Opts		
		.P01	CLR: Driftwood de-emph 4/12/09		
105	2	T52472S	PRIMARY 24DX72W FLAT EG LAM W/GROMMETS	184.80	369.60
		\$(L1CORE)	L1 Core Lam Opts		
		.LT6A	Lam: Camelstone		
		.E5	Edg: Driftwood		
		.P	Plastic Grommet		
			Tag(s): SPECIAL?		



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
106	1	T53660SN	PRIMARY 36DX60W FLAT EG LAM W/O GROM \$(L1CORE) L1 Core Lam Opts .LT6A Lam: Camelstone .E5 Edg: Driftwood Tag(s): SPECIAL?	224.80	224.80
107	2	T6BK	WORKSURFACE BRACKET KIT \$(CORE) Core Clr Opts .P01 CLR: Driftwood de-emph 4/12/09	16.80	33.60
108	1	CDG	GUSSETS (1 PR) \$(COREPNT) Core Clr Opts .P01 CLR: Driftwood de-emph 4/12/09	41.20	41.20
109	3	T6CB24L	CANTILEVER BRACKET 24D LH TERRACE \$(COREPNT) CORE CLR OPTS .P01 CLR: DRIFTWOOD DE-EMPH 4/12/09	20.00	60.00
110	3	T6CB24R	CANTILEVER BRACKET 24D RH TERRACE \$(COREPNT) CORE CLR OPTS .P01 CLR: DRIFTWOOD DE-EMPH 4/12/09	20.00	60.00
111	1	TKEB29L	DNA END PANEL BKT KIT 29-1/2H LH \$(COREPNT) CORE CLR OPTS .P01 CLR: DRIFTWOOD DE-EMPH 4/12/09	13.20	13.20



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
112	1	TKEP2429 PL \$(COREPNT) .P01	DNA PNL MNT LH 24DX29-1/2H END PNL SUPT CORE CLR OPTS CLR: DRIFTWOOD DE-EMPH 4/12/09	70.80	70.80
113	1	PANEL AC CESS KIT		75.00	75.00
SUBTOTAL-(2) A&R STATIONS <i>FL1 - 176</i>					11,200.60
114	18	DESIGN	DESIGN TIME	65.00	1,170.00
115	1	ASSEMBLY LR PREV	LABOR TO RECONFIGURE A & R STATIONS. PREVAILING WAGE, REGULAR HOURS	1,800.00	1,800.00

AREA MUST BE FREE AND CLEAR
PRIOR TO SCHEDULED
INSTALLATION DATE

PM: RANDY RICHE
916-591-1112

SITE CONTACT: COLLEEN JOHNSON
916-608-6585



KELLER GROUP

office environments

916.737.3300 main 916.737.3305 fax
3041 65th St. Suite 3, Sacramento, CA 95820

PROPOSAL 100825

DATE 04/30/14

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ADMIN & RECORDS
10 COLLEGE PARKWAY
FOLSOM, CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
---	-----	---------	-------------	------	----------

If wall track is included on proposal, client assumes responsibility for costs due to electrical and/or plumbing within walls.

PRODUCT TOTAL...	11,200.60
DESIGN.....	1,170.00

ACCEPTED BY *Kathleen Kirklin*
 DATE ACCEPTED *4/30/14*

INSTALL.....	1,800.00
SALES TAX.....	1,040.04
	=====
TOTAL.....	15,210.64

CAD FILE: H:\02Education\Los Rios\FLC\FLC 1A\100825 FL1-A&R Reconfig\Furn Dwgs\FLC-Admin-Records reconfig 4-2014.dwg

IN RECEPTION


OPTION 3
NEW PLAN

NEW 48" PANEL MTD
OVERHEAD, PULL LIGHT FROM
WAREHOUSE INVENTORY

THIS PANEL IS ALL FABRIC,
NO GLASS

36"W PANEL HAS CLEAR GLASS
TILE FROM 42" TO 65" HIGH,
SEE LOCATION TO WINDOW IN
PONY WALL

EXTRA EXISTING FILES TO
BE REMOVED, ADD NEW
TOP 36X60 TO THESE
REMAINING FILES



ADD A SMALL PANEL ACCESS KIT
J-BOX FOR POWER ACCESS FROM WALL

NEW 24X72 WKSF

ADD 3-HOLE KNOCKOUT
BASE FOR DATA

SWITCH TO 36"W
FILE

ADD AN END PANEL TO
PANEL BRACKET

EXISTING OVERHEADS - 42"W ONE
IS MOVED FROM OTHER SIDE

NEW 24X72 WKSF

177

EXISTING
GUEST CHAIRS

FL1 - MAIN BUILDING
PROPOSAL: 100825

A. Hublen
4/30/14

NEW OVERALL PLAN



KELLER GROUP
office environments

SACRAMENTO - MODESTO

3041 65TH STREET, SUITE 3
SACRAMENTO, CA 95820
PH: 916.737.3300
FAX: 916.737.3305

PROJECT

ADMIN & RECORDS
FOLSOM LAKE COLLEGE FL1
10 COLLEGE PARKWAY
FOLSOM, CA

DRAWN BY C. LONG

APPROVED BY

DRAWING NO.

3

CAD FILE: H:\02Education\Los Rios\FLC\FLC 1A\100825 FL1-A&R Reconfig\Furn Dwgs\FLC-Admin-Records reconfig 4-2014.dwg

IN RECEPTION

OPTION 3 NEW PLAN

THIS PANEL IS ALL FABRIC,
NO GLASS

36"W PANEL HAS CLEAR GLASS
TILE FROM 42" TO 65" HIGH,
SEE LOCATION TO WINDOW IN
PONY WALL

GT-SUFFIX PANELS
ALL HAVE
FROSTED GLASS
AT THE TOP, SEE
FINISH SHEETS

ADD A SMALL PANEL ACCESS KIT
J-BOX FOR POWER ACCESS FROM WALL

ADD 3-HOLE KNOCKOUT
BASE FOR DATA

177 EXISTING
GUEST CHAIRS

FL1 - MAIN BUILDING
PROPOSAL: 100825

Handwritten signature and date:
A. Furber
4/30/14

NEW PANEL-ELECT PLAN



KELLER GROUP

office environments
SACRAMENTO - MODESTO

3041 65TH STREET, SUITE 3
SACRAMENTO, CA 95820
PH: 916.737.3300
FAX: 916.737.3305

PROJECT

ADMIN & RECORDS
FOLSOM LAKE COLLEGE FL1
10 COLLEGE PARKWAY
FOLSOM, CA


DRAWN BY C. LONG

APPROVED BY

DRAWING NO.

4

CAD FILE: H:\02Education\Los Rios\FLC\FLC 1A\100825 FL1-A&R Reconfig\Furn Dwgs\FLC-Admin-Records reconfig 4-2014.dwg



177 EXISTING GUEST CHAIRS

FL1 - MAIN BUILDING
PROPOSAL: 100825

C. Long
4/30/14

NEW COMPONENT PLAN



KELLER GROUP
office environments
SACRAMENTO - MODESTO
3041 65TH STREET, SUITE 3
SACRAMENTO, CA 95820
PH: 916.737.3300
FAX: 916.737.3305

PROJECT
ADMIN & RECORDS
FOLSOM LAKE COLLEGE FL1
10 COLLEGE PARKWAY
FOLSOM, CA

DRAWN BY C. LONG
APPROVED BY
DRAWING NO.
5


CAD FILE: H:\02Education\Los Rios\FLC\FLC 1A\100825 FL1-A&R Reconfig\Furn Dwgs\FLC-Admin-Records reconfig 4-2014.dwg

THIS PANEL HAS GLASS FROM 42"H TO 65"H. THE PANEL & GLASS IS 30"W, WITH A COMPLETE FABRIC PANEL AT THE CORNER

PANELS ARE 87.5"H-ALL FABRIC AT THE BACK

THIS OVERHEAD IS NEW-TO FIT. EXISTING IS MOVED TO OTHER SIDE

OPTION 3
NEW PLAN




PANELS ARE 87.5"H-THESE HAVE FROSTED GLASS AT THE TOP 22.5'. SO FROM 65' TO 87.5' ARE GLASS.

EXISTING OVERHEADS, ONE IS MOVED FROM OTHER SIDE.

NEW TOP 36X60 ON REMAINING FILES

SEE OTHER 3D VIEW -THIS PANEL HAS GLASS FROM 42"H TO 65"H. THE PANEL & GLASS IS 30"W, WITH A COMPLETE FABRIC PANEL AT THE CORNER



NEW 3D PLAN

4/29/14

Handwritten signature
4/29/14



KELLER GROUP
office environments
SACRAMENTO - MODESTO

3041 65TH STREET, SUITE 3
SACRAMENTO, CA 95820
PH: 916.737.3300
FAX: 916.737.3305

PROJECT

ADMIN & RECORDS
FOLSOM LAKE COLLEGE FL1
10 COLLEGE PARKWAY
FOLSOM, CA

DRAWN BY C. LONG






APPROVED BY

DRAWING NO.

6





PROJECT FOLSOM LAKE COLLEGE
FL1- ADMIN AND RECORDS
Reconfigure two stations-new finishes

CODE	SPECIFICATION	SAMPLE
<p>Manufacturer: Allsteel Fabric: Sarto Color: Oyster Code: SRT918 Trim Paint: Driftwood Code: P01</p>	 <p>Top and middle tiles on the (3) panel types. (See plan for panel Suffix to identify the panel locations). GT panels have frosted glass at the top and cover two sides of station</p>	
<p>Manufacturer: Allsteel Fabric: Refuge Color: Artesian Code: RFG996 Trim Paint: Driftwood Code: P01</p>	 <p>Bottom tile on all panel styles</p>	
<p>Manufacturer: Allsteel Laminate: Natural Maple Code: LWD Paint Trim: Driftwood Code: P01</p>	<p>Laminate Color of Door, with Driftwood paint trim</p>	

APPROVED BY *Spencer Hubler* DATE 1/30/14



PROJECT FOLSOM LAKE COLLEGE
FL1- ADMIN AND RECORDS
Reconfigure two stations-new finishes

CODE	SPECIFICATION	SAMPLE
Manufacturer: Allsteel Laminate: Camelstone Code: LT6A Edge: Driftwood Code: E5	Laminate color on new worksurfaces with driftwood edge (to match existing)	
Manufacturer: Allsteel Paint: Driftwood Code: P01	Paint color on new overhead cabinet, worksurface supports and panel trim (to match existing)	

APPROVED BY *Joanleen Kukla* DATE 4/30/14