

**PURCHASE ORDER NO 0003016150
DUPLICATE**

Date 04/08/2015	Revision	Page 1
Payment Terms NET 30	Freight Terms Shipping Point	Ship Via Best Metho
Reference: 3004985 JOHNSONC		PE/H/A

Supplier: 0000025664
TRIMARK ECONOMY RESTAURANT FIXTURES
415 RICHARDS BLVD
SACRAMENTO CA 95811

Phone: (916) 447-6600
Fax: (916) 447-6675

email: jtagye@trimarkeconomy.com

Ship To: FOLSOM LAKE COLLEGE
RECEIVING
10 COLLEGE PARKWAY
FOLSOM CA 95630-6798
United States

Bill To: 1919 Spanos Court
Sacramento CA 95825-3981
United States

Tax Exempt? N

Line-Sch	Item/Description	Quantity UOM	PO Price	Extended Amt	Due Date
1- 1	ICE CUBE MAKER - HOSHIZAKI, MODEL KM-600MAH	2.00 EA	2,550.00	5,100.00	04/22/2015
2- 1	FILTRATION SYSTEM - TWIN CONFIGURATION, P/N: H9320-52	2.00 EA	250.00	500.00	04/22/2015
3- 1	ICE BIN - HINGED BOTTOM DOOR AND TOP VIEW WINDOW P/N: B-1500SS	1.00 EA	2,700.00	2,700.00	04/22/2015
4- 1	INSTALLATION	1.00 EA	600.00	600.00	04/22/2015

SEE QUOTE DATED 1/30/15
INSTALLATION \$600
TAX \$712.
PO TOTAL \$9,612.00

QUOTE AND COMPARATIVE PRICES HAVE BEEN PLACED IN BUSINESS OFFICE MAIL BOX

Sub Total Amount	8,900.00
Sales Tax Amount	712.00
Total PO Amount	9,612.00

BU	Acct	Fd	Org	Prog	Sub	Proj	Amount	BYear
COPFD	6490	43	FL.VA.BEQP	71000	00100	222X	9,612.00	2015

0003004985KIRKLINK19-MAR-2015

All shipments, invoices, and correspondence must be identified with our Purchase Order Number. Overshipments will not be accepted unless authorized by Buyer prior to shipment.

Unauthorized

LOS RIOS COMMUNITY COLLEGE DISTRICT

American River College • Cosumnes River College • Folsom Lake College • Sacramento City College

PURCHASE ORDER TERMS AND CONDITIONS

1. **APPLICABLE LAW:** The contract resulting from this order shall be governed by the laws of the State of California
2. **COMPLETION OF ORDERS:** LRCCD reserves the right to withhold payment until order is completed.
3. **DISCOUNTS:** Please show cash payment discount offered on your invoice in connection with any discount offered, time will be computed from date of delivery of the supplies or equipment, or from date correct invoices are received in the office specified by LRCCD if the latter date is later than the date of delivery. Payment is deemed to be made for the purpose of earning discount, on the date payment is mailed or on behalf of LRCCD.
4. **INVOICES:** Invoices shall be prepared and submitted in duplicate unless otherwise specified. Invoices shall contain Purchase order number, date, description of items, sizes and quantities, unit prices, extended totals, place and date of delivery. Invoices or vouchers not on printed bill heads shall be signed by the CONTRACTOR or person furnishing the supplies or services. Every invoice shall be properly itemized. If LRCCD has not received billing for product or services within a one year period LRCCD will not be held responsible for satisfying the debt.
5. **CHANGES:** No change or modification in terms, quantities, or specifications may be made without express authorization in writing from the LRCCD Purchasing Office and signed by the parties hereto, and no oral understanding or agreement not incorporated herein shall be binding on any of the parties hereto. If unit cost of any item exceeds the amount shown by 10% or \$250.00 whichever is less do not ship. Contact LRCCD Purchasing at the phone number provided.
6. **BILL OF LADING:** If Bill of Lading is applicable to this order, send originals to "Ship to" address and duplicate Bill of Lading with invoices to "Bill to" address. All correspondence, invoices, bills of lading, shipping memos, packages, etc., must show purchase order number. If factory shipment, advise factory to comply.
7. **TRANSPORTATION CHARGES:** Invoices for prepaid transportation charges must be supported by original receipted expense bills.
8. **FOB POINT AND FREIGHT CHARGES:** Unless otherwise specified on this order, all items shall be delivered FOB Destination. No charge for delivery, drayage, express, parcel post, packing, cartage, insurance, license fees, permits, or for any other purpose will be paid by LRCCD unless expressly included and itemized in the order. Unless otherwise shown, on "FOB Shipping Point" transactions, CONTRACTOR shall arrange for lowest cost transportation, prepay and add freight to invoice and furnish supporting freight bills if the amount exceeds \$50.00. On "FOB Shipping Point" transactions, should any shipments under this purchase order be received by LRCCD in a damaged condition and any related freight loss and damage claims filed against the carrier or carriers be wholly or partially declined with the inference that damage was the result of the act of the shipper such as inadequate packaging or loading or some inherent defect in the equipment and/or material, CONTRACTOR on request of LRCCD shall at CONTRACTOR's own expense assist LRCCD in establishing carrier liability by supplying evidence that the equipment and/or materials was properly constructed, manufactured, packaged, and secured to withstand normal transportation conditions. Shipments that are California intrastate in nature and where freight is to be borne by LRCCD shall be tendered to carriers with written instructions that rate and charges may not exceed the lowest lawful rates on file with the California Public Utilities Commission.
9. **PATENT INDEMNITY:** The CONTRACTOR shall hold LRCCD, its officers, agents and employees harmless from alleged liability of any nature or kind, including costs and attorney fees and expenses, for infringement or use of any copyrighted or uncopyrighted composition, secret process, patented or unpatented invention, article or appliance furnished or used in connection with the contract or purchase order.
10. **TAXES:** Certain articles sold to LRCCD are exempt from certain Federal excise taxes. LRCCD will reimburse the CONTRACTOR for, or pay directly, all California State and local sales and use taxes applicable to this purchase.
11. **EQUAL OPPORTUNITY EMPLOYER:** The acceptance of this purchase order by a supplier of goods and services is a certification that such supplier complies with all provisions of executive order 11246 and is an equal opportunity employer.
12. **GENERAL SAFETY ORDERS:** All materials, supplies and services sold to LRCCD shall conform to the general safety orders of the State of California. All materials, except as otherwise specified, must be new and of the best quality of their respective kinds.
13. **INDEMNIFICATION:** CONTRACTOR shall indemnify, defend and hold harmless LRCCD, its trustees, officers, agents, employees and volunteers, from any and all claims, demands, suits, causes of action, damages, penalties, breaches of this agreement, infringement of patent rights, costs, expenses, violations of employee occupational health and safety laws, attorney fees, losses or liability, property damage, personal injuries to or death of persons, arising out of, alleged to have arisen out of, or relating in any way to CONTRACTOR's work to be performed under this agreement, except if caused solely by the negligence of LRCCD.
14. **TERMINATION:** LRCCD may terminate this agreement and be relieved of the payment of any consideration to CONTRACTOR should CONTRACTOR fail to perform the covenants herein contained at the time and in the manner herein provided. In the event of such termination LRCCD may proceed with the work in any manner deemed proper by LRCCD. The cost to LRCCD shall be deducted from any sum due the CONTRACTOR under this agreement and the balance if any, shall be paid the CONTRACTOR upon demand.
15. **ASSIGNMENT:** Without the written consent of LRCCD, this agreement is not assignable by CONTRACTOR either in whole or in part.
16. **PUBLIC WORKS PROJECTS:** CONTRACTOR must comply with Public Contract Code.
17. **CA LABOR CODE:** Pursuant to Section 1700, and following, the CONTRACTOR shall pay not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations. Copies of such prevailing rate of per diem wages are on file at the Business Office of the Los Rios Community College District, 1919 Spanos Court, Sacramento, CA 95825. Those copies shall be made available to any interested party upon request. The CONTRACTOR shall forfeit, as penalty to the LRCCD, Fifty Dollars (\$50.00) for each calendar day or portion thereof, for each workman paid less than the stipulated prevailing rates for any work done under the contract by him/her or by any subcontractor under him, in violation of the provisions of such Labor Code.
18. **NOTICE:** Your employees may be exposed to hazardous substances during the course of their work while on LRCCD property. For additional information on the hazardous substances that your employees may be exposed to contact the LRCCD General Services Department at (916) 568-3048.
19. **INSURANCE:** CONTRACTOR shall, at all times, maintain in full force and effect the following insurance: Workers' Compensation, Commercial General Liability, Auto Liability, and Professional Liability if licensed professional. Policy limits for each shall be at least \$1,000,000 AND \$3,000,000 AGGREGATE for bodily injury, personal injury and property damage. Any combination of General Liability and Excess Coverage can be combined to meet the Aggregate. LRCCD shall be named as an additional insured on CONTRACTOR's policies. The CONTRACTOR shall provide a certificate of insurance and required endorsements to comply with this section at least 15 days prior to commencement of work under this contract. The certificate shall state that LRCCD will be given 30 days notice of any material change or cancellation in coverage.
20. **DISQUALIFIED EMPLOYEES:** CONTRACTOR shall ensure that persons who perform services on LRCCD property have not been convicted of any felony, or any controlled substance offense or any sex offense as those terms are defined by Education Code section 87008-87010. If LRCCD determines that any person employed by CONTRACTOR to work on LRCCD property is incompetent, unfaithful, intemperate, disorderly, abusive or is otherwise unsatisfactory, CONTRACTOR shall cause that employee to be removed from working on LRCCD property immediately, and that person shall not be employed again on LRCCD property.
21. **WORK AUTHORIZATION:** Prior to LRCCD's acceptance of this Agreement, CONTRACTORS who are not U.S. citizens must provide verification of (a) work authorization status from the appropriate U.S. Department of State; (b) a copy of their U.S. visa; (c) the number of days present in the U.S.; and (d) tax treaty status. LRCCD shall not make any payments to CONTRACTOR unless CONTRACTOR holds the appropriate U.S. visa. CONTRACTOR is responsible for ensuring they are in possession of the appropriate visa.
22. **WARRANTY:** CONTRACTOR expressly warrants that all materials, goods, equipment, services, and/or labor shall conform to the requirements set forth or incorporated into this order and any applicable industry standards or requirements, shall be merchantable and free from defects in workmanship, materials and/or design (including latent defects), and shall perform as specified. CONTRACTOR further warrants that all materials, goods, equipment, services, and/or labor will be fit and sufficient for the particular purposes intended by LRCCD. Unless agreed upon otherwise between LRCCD and CONTRACTOR, the warranty period shall be the longer of: (a) any express warranty included in this service agreement; (b) one year after the materials, goods, equipment, services, and/or labor are accepted by LRCCD; or (c) any warranty period provided under any applicable California law.

Requisition

Vendor: TRIMARK ECONOMY RESTAURANT FIXTURES
 415 RICHARDS BLVD
 SACRAMENTO CA 95811
 United States

Ship To: RECEIVING
 10 COLLEGE PARKWAY
 FOLSOM CA 95630-6798

Business Unit: COPFD OPEN	
Req ID: 0003004985	Date: 03/11/2015
Page 1	
Requester: Colleen R. Johnson	Bldg#: PE/H/A
Requester Signature	
Buyer: Christina Gallarzo	
Approved:	

Line-Schd	Description	Quantity	UOM	Price	Extended Amt	Due Date
1-1	HOSHIZAKI ICE CUBE MAKERMODEL KM-600MAH	2	JOB	2,550.00	5,100.00	03/18/2015
ASSET DEPT: PE/H/A LOCATION: 04ATHC CATEGORY: EQU:OTHER 2						
2-1	FILTRATION SYSTEM	2	JOB	250.00	500.00	03/18/2015
ASSET DEPT: PE/H/A LOCATION: 04ATHC CATEGORY: EQU:OTHER 2						
3-1	ICE BIN B-1500SS	1	JOB	2,700.00	2,700.00	03/18/2015
ASSET DEPT: PE/H/A LOCATION: 04ATHC CATEGORY: EQU:OTHER 1						

Total Requisition Amount: 8,300.00

SEE QUOTE DATED 1/30/15
 INSTALLATION \$600
 TAX \$712.
 PO TOTAL \$9,612.00

QUOTE AND COMPARATIVE PRICES HAVE BEEN PLACED IN BUSINESS OFFICE MAIL BOX

<u>BU</u>	<u>Acct</u>	<u>Fd</u>	<u>Org</u>	<u>Prog</u>	<u>Sub</u>	<u>Proj</u>	<u>Amount</u>
COPFD	6490	43	FL.VA.BEQP	71000	00100	222X	8,300.00

Approval Signature	Approval Signature	Approval Signature
--------------------	--------------------	--------------------

0003004985

Quote

01/30/2015

Project:
Folsom College

From:
TriMarkERF
Dave Balassi
415 Richards Blvd
Sacramento, CA 95811
916-558-3036
916-558-3036 (Contact)
916-447-6674 (Fax)
dbalassi@trimarkeconomy.com

* Prices good 30 days.

Item	Qty	Description	Sell	Sell Total
1	2 ea	ICE CUBER Hoshizaki Model No. KM-600MAH Ice Maker, Cube-Style, air-cooled, self-contained condenser, approximately 592-lb capacity/24-hours, stainless steel finish, crescent cube style, R-404A refrigerant, 115-120v/60/1-ph, 12.0 amps, ENERGY STAR®	\$2,550.00	\$5,100.00
	2 ea	3-Year parts & labor on entire machine		
	2 ea	5-Year parts & labor on evaporator		
	2 ea	5-Year parts on compressor & air-cooled condenser		
	1 ea	Universal top kit included		
	1 ea	5-Year parts & labor for bin		
	2 ea	H9320-52 Water Filtration System, twin configuration	\$250.00	\$500.00
	1 ea	B-1500SS Ice Bin, hinged bottom door & top view windows, approximately 1500-lb ice storage capacity, for top-mounted ice maker, stainless steel construction, universal top included, with die cast legs, protected with H-GUARD Plus Antimicrobial Agent	\$2,700.00	\$2,700.00
	1 ea	5-Year parts & labor for bin		
		*****OA will be 60" wide*****		
		ITEM TOTAL:		\$8,300.00
2	1 ea	INSTALL Custom Model No. INSTALL Delivery and set in place by TERF, installation by Commercial Appliance. All electrical, water, and drain items need to be present and ready to go	\$600.00	\$600.00

Merchandise \$8,900.00
Tax 8% \$712.00
Total \$9,612.00

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$9,612.00

Quote

02/27/2015

To:
Los Rios Community College
District
Colleen Johnson

Project:
Folsom Lake College Ice Maker

From:
Delta Restaurant Supply - CA
Rodney Nannini
3429 Longview Dr.
Sacramento, CA 95821
9164858111

Item	Qty	Description	Sell	Sell Total
1	1 ea	ICE CUBER Hoshizaki Model No. KM-600MAH Ice Maker, Cube-Style, air-cooled, self-contained condenser, approximately 592-lb capacity/24-hours, stainless steel finish, crescent cube style, R-404A refrigerant, 115-120v/60/1-ph, 12.0 amps, ENERGY STAR®	\$2,967.33	\$2,967.33
	1 ea	3-Year parts & labor on entire machine		
	1 ea	5-Year parts & labor on evaporator		
	1 ea	5-Year parts on compressor & air-cooled condenser		
	1 ea	B-1550SS Ice Bin, hinged bottom door & top view windows, approximately 1555-lb ice storage capacity, for top-mounted ice maker, stainless steel construction, universal top included, with die cast legs, protected with H-GUARD Plus Antimicrobial Agent	\$3,156.16	\$3,156.16
	1 ea	Universal top kit included		
	1 ea	5-Year parts & labor for bin		
		Freight:	\$310.75	\$310.75
		ITEM TOTAL:		\$6,434.24
2	1 ea	ICE CUBER Hoshizaki Model No. KML-631MAH Ice Maker, Cube-Style, air-cooled, self-contained condenser, approximately 575-lb capacity/24-hours, stainless steel finish, crescent cube style, R-404A refrigerant, 208-230v/60/1-ph, 7.6 amps, ENERGY STAR®	\$3,079.93	\$3,079.93
	1 ea	3-Year parts & labor on entire machine		
	1 ea	5-Year parts & labor on evaporator		
	1 ea	5-Year parts on compressor & air-cooled condenser		
	1 ea	3 wire with neutral for 115v, standard		
		Freight:	\$121.00	\$121.00
		ITEM TOTAL:		\$3,200.93
3	2 ea	WATER FILTER ASSEMBLY Hoshizaki Model No. H9320-52 Water Filtration System, twin configuration	\$287.28	\$574.56

Merchandise \$10,209.73
Tax 8% \$782.24
Total \$10,991.97

Initial: _____

Prices Good Until: 03/29/2015

Acceptance: _____ Date: _____

Printed Name: _____

Project Grand Total: \$10,991.97

Johnson, Colleen

From: RESCO RESCO/CRESCO <msegoviano@softcom.net>
Sent: Thursday, February 12, 2015 5:05 PM
To: Johnson, Colleen
Subject: Re: Ice Machine Quote

Hi Colleen,

I talked to my rep about ordering this Hoshizaki machine and they recommend getting a smaller bin. Apparently the models you currently have are not made to fit adequately. The head KM-600MAH is \$2950. The bin that they recommend (which does not need any additional adapter kit) is \$ 2755. Lead time is approximately 2-3 weeks for it all to come in. Please advise on how you want to proceed and if you have further questions. Thank you.

On Fri, Feb 6, 2015 at 1:52 PM, Johnson, Colleen <JohnsoC@flc.losrios.edu> wrote:


Maria –

Here are the specs for the Hoshizaki ice machine quote:

Item	Qty	Sell	Sell Total	Description
------	-----	------	------------	-------------

1	2 ea	ICE		
---	------	-----	--	--

CUBER



Hoshizaki Model No. KM-600MAH

Ice Maker, Cube-Style, air-cooled, self-contained condenser, approximately 592-lb capacity/24-hours, stainless steel finish, crescent cube style, R-404A

refrigerant, 115-120v/60/1-ph, 12.0 amps, ENERGY STAR®

- 2 ea 3-Year parts & labor on entire machine
- 2 ea 5-Year parts & labor on evaporator
- 2 ea 5-Year parts on compressor & air-cooled condenser
- 1 ea Universal top kit included
- 1 ea 5-Year parts & labor for bin
- 2 ea H9320-52 Water Filtration System, twin configuration

1 ea B-1500SS Ice Bin, hinged bottom door & top view windows, approximately 1500-lb ice storage capacity, for top-mounted ice maker, stainless steel construction, universal top included, with die cast legs, protected with H-GUARD Plus Antimicrobial Agent

- 1 ea 5-Year parts & labor for bin

*****OA will be 60" wide*****

1
ea **INSTALL**

Please feel free to contact me if you have any questions. Thank you!

Colleen Johnson | Campus Operations Supervisor

Folsom Lake College | 10 College Parkway | Folsom, CA 95630

p. [916.608.6585](tel:916.608.6585) | f. [916.608.6746](tel:916.608.6746) | Colleen.Johnson@flc.losrios.edu | <http://flc.losrios.edu>

From: RESCO RESCO/CRESCO [mailto:msegoviano@softcom.net]
Sent: Friday, February 06, 2015 12:51 PM
To: Johnson, Colleen
Subject: Re: Ice Machine Quote

Good Afternoon Coleen,

If you give me the model number on your Hoshizaki I can check on price and availability for you!

On Thu, Feb 5, 2015 at 5:03 PM, Johnson, Colleen <JohnsoC@flc.losrios.edu> wrote:

Maria –

Would you be able to provide a quote on a Hoshizaki ice machine if I give you the particulars?

Thanks,

Colleen

From: RESCO RESCO/CRESCO [mailto:msegoviano@softcom.net]
Sent: Thursday, February 05, 2015 11:17 AM
To: Johnson, Colleen
Subject: Re: Master Bilt Open Merchandiser

Hi Colleen,

It looks like we have been sending it to the wrong address because it was returned back to us.


I think I have the accurate one now, is the following address correct?

1919 Spanos ct

Project:
 LOS RIOS - HOSHISAKI ICE CUBER
 2/2/15
 COLLEEN JOHNSON
 johnsoc@flc.losrios.edu

From:
 East Bay Restaurant Supply, Inc.
 Annie Reger
 522 North 12th Street
 Sacramento CA 95811

Project Code: 671

Item	Qty	Description	Sell	Sell Total
1	2 ea	ICE CUBER  Hoshizaki Model No. KM-600MAH Packed: ea Ice Maker, Cube-Style, air-cooled, self-contained condenser, approximately 592-lb capacity/24-hours, stainless steel finish, crescent cube style, R-404A refrigerant, 115-120v/60/1-ph, 12.0 amps, ENERGY STAR® Dimensions 37.44(h) x 22.00(w) x 27.38(d)	\$2,714.40	\$5,428.80
	2 ea	3-Year parts & labor on entire machine		
	2 ea	5-Year parts & labor on evaporator		
	2 ea	5-Year parts on compressor & air-cooled condenser		
	2 ea	B-1150SS Ice Bin, hinged bottom door & top view windows, approximately 1150-lb ice storage capacity, for top-mounted ice maker, stainless steel construction, universal top included, with die cast legs, protected with H-GUARD Plus Antimicrobial Agent	\$2,494.44	\$4,988.88
	2 ea	Universal top kit included		
	2 ea	5-Year parts & labor for bin		
	2 ea	H9320-52 Water Filtration System, twin configuration	\$252.72	\$505.44
Class: 92.5		Weight: 1090 lbs total		
			ITEM TOTAL:	\$10,923.12

2 **FREIGHT/DELIVERY**
 WE CAN PICK UP AT THE DISTRIBUTOR AND DELIVER TO THE SITE.
 DELIVERY IN THE BOX \$25.00

 DELIVERY/UNCRATE/SET IN PLACE (INSTALL BY OTHERS) \$45.00
 *** FOR THIS QUOTE IM GOING TO ASSUME IT THE \$25.00 DELIVERY,
 IF YOU NEED MORE, PLEASE LET ME KNOW.

Initial: _____

East Bay Restaurant Supply, Inc.

Date

2/2/2015

Item	Qty	Description	Sell	Sell Total
3		TERMS NET 30 A SIGNED PO IS REQUIRED SALES TAX IS APPROXIMATE BECAUSE IM NOT SURE WHICH LOCATION THIS WILL BE DELIVERED TO. SALES TAX IS BASED ON SHIP TO ADDRESS. (I THINK THIS WOULD BE FOLSOM, BUT NOT FOR SURE)		
4		LEAD TIME LET ME KNOW IF YOU NEED ME TO CALL AND FIND OUT THE LEAD TIME FROM THE MANUFACTURER. **USUAL LEAD TIME CAN BE 3 DAYS - 3 WEEKS		

Merchandise	\$10,923.12
Freight	\$25.00
Tax (8%)	\$873.85
Total	\$11,821.97

RETURNS:

THESE ARE ALL NON-STOCK, SPECIAL ORDER ITEMS. EBRs WILL NOT TAKE THESE RETURNS. THE FACTORY WILL HAVE TO DECIDE WHETHER THEY WILL TAKE THESE RETURNS OR NOT. IF SO, YOU ARE SUBJECT TO THE FACTORY RESTOCK CHARGES (USUALLY 30%) AND FREIGHT CHARGES BACK TO THE FACTORY. ITEMS MUST BE UNUSED, AND IN ORIGINAL FACTORY BOX.

THANK YOU FOR THIS OPPORTUNITY TO QUOTE. IF YOU NEED ANYTHING AT ALL, PLEASE CONTACT ME ANY TIME
 ANNIE REGER
 EBRs SACRAMENTO
 DIRECT 916-612-2203
 FAX 916-440-1524
 annier@ebs.net

Acceptance: _____

Date: _____

Printed Name: _____

KM-600MAH

SLIM-LINE MODULAR CRESCENT CUBER


KM-600MAH
6/11
Item # 13231

CUBER DIMENSIONS


W x D x H

KM-600M_H


22 x 27^{3/8} x 37^{7/16}




B-300




B-500



B-700




B-800






B-900

Also available on Large Bins:
B-1150SS
B-1300SS
B-1500SS
B-1650SS



KM-600MAH

Air-Cooled
Shown on an optional
B-300 Bin

- 115 - 120V supply voltage
 - Up to 592 lbs. of ice production per 24 hours
 - Durable stainless steel exterior
 - Protected by *H-GUARD Plus* Antimicrobial Agent 
 - Individual crescent cube
 - CycleSaver® Design 
 - EverCheck® alert system 
 - Stainless steel evaporator
 - Mount two units side-by-side, in only 44" of floor space, for 1,184 lbs. per 24 hours
 - Removable air filters (Air-cooled model only)
 - R-404A Refrigerant
- * The KM-600MAH is ENERGY STAR qualified.



1532-2001-5211908

© HOSHIZAKI AMERICA, INC.

Warranty

Valid in United States, Canada, Puerto Rico, & U.S. Territories. Contact factory for warranty in other countries.

Three Year - Parts & Labor on entire machine.

Five Year - Parts & Labor on: Evaporator.

Five Year - Parts on: Compressor, air-cooled condenser coil.



KM-600MAH SLIM-LINE MODULAR CRESCENT CUBER

DIMENSIONS
W x D x H
KM-600MAH
22 x 27^{3/8} x 37^{7/16}

• Air-cooled

AIR-COOLED

Water Temp' F.	50°	70°	90°	
Air Temp' F.	70°	592	566	516
	80°	572	532	474
	90°	566	503	447

UTILITY CONSUMPTION



Model Number	Ice Production Per Cycle Lbs. Cubes	KWH per 100 LBS. 90/70	Potable Water Gal. per 100 lbs.	Condenser Water Gal. per 100 lbs.
KM-600MAH	14.3 720	5.7	19.7	N/A

SPECIFICATIONS


Model Number	Condenser	Amperage	Min. Circuit Ampacity	Shipping Weight
KM-600MAH	Air-Cooled	12.0	15 A	200 lbs.

STORAGE BINS

Model Number	Application Capacity	ARI-Rated Capacity
B-300	300 lbs.	260 lbs.
B-500	500 lbs.	360 lbs.
B-700	700 lbs.	550 lbs.
B-800	800 lbs.	600 lbs.
B-900	900 lbs.	660 lbs.
B-1150	1150 lbs.	N/A
B-1300	1275 lbs.	N/A
B-1500	1490 lbs.	N/A
B-1650	1605 lbs.	N/A



ICE DROP ZONE



AIR-COOLED UNIT

ELECTRICAL & PLUMBING/KM-600MAH

- 115-120V/60/1
- 15 Amp Max Fuse/HACR Breaker Size
- 3/8" OD copper or equivalent independent potable water supply
- 3/4" FPT independent water drain

OPERATING LIMITS

- Ambient Temp Range 45 - 100°F
- Water Temp Range 45 - 90°F
- Water Pressure 10 - 113psig
- Voltage Range 104 - 127V

SERVICE

- Panels easily removed and all components accessible for service.
- Removable/cleanable air filters. (Air-cooled model only)



© HOSHIZAKI AMERICA, INC.

LOS RIOS - HOSHIZAKI ICE CUBER 2/2/15



B-1150SS (1300/1500/1650) ICE STORAGE BINS

Item # _____

Project: _____

Qty: _____

*AutoCad available on KCL

B-1150SS
(1300/1500/1650)
1/12
Item # 13178

BIN DIMENSIONS

W x D x H

B-1150SS
48 x 41 x 60*


B-1300SS
48 x 41 x 66*

B-1500SS
60 x 41 x 62*

B-1650SS
60 x 41 x 66*


*with 6" legs

Depth includes 10"
for door installation




B-1150SS

Shown




B-1300SS

Shown




B-1500SS

Shown



B-1650SS

Shown

- Available in the stainless steel "SS" exterior style
- SS = Stainless steel front, sides, back and bottom
- Easy cleaning and long lasting attractive appearance
- Seamless polyethylene bin liner
- Foamed-in-place polyurethane insulation, in all bin walls and bottom, which provides maximum ice preservation
- New baffle design increases ice accessibility by 30%
- View windows provide instant inspection and thermal break
- Pouch style insulated door prevents condensation while providing maximum access and minimal spillage
- Sealed door gasket reduces risk of airborne bacteria
- All bins include Universal Top Kit - note application guide to verify fit
- 6" adjustable stainless steel legs
- 82 oz. scoop - Protected by *H-GUARD Plus* Antimicrobial Agent 



Warranty

Valid in United States, Canada, Puerto Rico, & U.S. Territories. Contact factory for warranty in other countries.

Five Year - Parts & Labor.



© HOSHIZAKI AMERICA, INC.

618 Hwy. 74 S., Peachtree City, GA 30269

TEL 1-800-438-6087

FAX 1-800-345-1325

www.hoshizaki.com

DIMENSIONS

W x D x H

B-1150SS
48 x 41 x 60"

B-1300SS
48 x 41 x 66"

B-1500SS
60 x 41 x 62"

B-1650SS
60 x 41 x 66"
*with 6" legs

ICE STORAGE BINS

- Ice storage capacity from 1150 lbs. to 1605 lbs.
- Available in stainless steel "SS" exterior style
- "SS" = Stainless steel front, back, sides and bottom
- Depth includes 10" for door installation

B-1150SS (1500/1300/1650)
ICE STORAGE BINS

SPECIFICATIONS

Model #	Ice Storage Capacity	Shipping Weight
B-1150SS	1150	345
B-1300SS	1275	365
B-1500SS	1500	395
B-1650SS	1605	415


ICE MACHINE MODEL APPLICATION

Width for Ice Machine	48" Width Bin B-1150/1300SS	60" Width Bin B-1500/1650SS
22"	Universal Top Kit	N/A
30"	Universal Top Kit	Universal Top Kit Need HS-2111
44"	N/A	Universal Top Kit
48"	Universal Top Kit	Universal Top Kit
60"	NOT AVAILABLE	NOT AVAILABLE


• The B-1150SS, B-1300SS, B-1500SS and B-1650SS are equipped with a universal top kit

PLUMBING


- 1" FPT Drain




**FRONT VIEW
B-1150/1300SS**




**TOP VIEW
B-1150/1300SS**



**FRONT VIEW
B-1500/1650SS**



**TOP VIEW
B-1500/1650SS**



**SIDE VIEW
B-1150/1300/1500/1650SS**



WATER FILTERS

FILTRATION SYSTEMS

WATER FILTERS

3/13

Item # 13076

H9320 FILTER

Single, Double, Triple

Single Configuration

18.4" H

Twin Configuration

19.11" H

Triple Configuration

19.15" H

E-10 PREFILTER

(9795-80)


E-20 PREFILTER

(9795-90)



H9320-51

Single Configuration
Shown



H9320-52

Twin Configuration
Shown

*Available in single, twin, and triple configurations

- Keep ice makers functioning at full capacity
- Reduce up to 99.9% of disinfectant chlorine from incoming water supply, eliminating off tastes and odors of the ice
- Will filter out dirt and rust particles as small as 1/2 micron producing crystal clear ice (99+% reduction)
- Decrease machine maintenance by reducing lime scale build-up



153-0001-521 (10/04)

Warranty

Warranty offered by EVERPURE (Effective Sep. 2, 2003)

Five Year - On all heads offered.



© HOSHIZAKI AMERICA, INC.

618 Hwy. 74 S., Peachtree City, GA 30269

TEL 1-800-438-6087

FAX 1-800-345-1325

www.hoshizaki.com

**WATER FILTERS
FILTRATION SYSTEMS**

- H9320 Filter (Single, double & triple configurations)
- E-10 Prefilter
- E-20 Prefilter

NEW Model Number	Description Flow Rate (Gal. per Min.)	Undercounter KMs	KM Cubers	Flakers	DCMs
H9320-51	Single (2 GPM)	AM-50 KM-61 KM-101 KM-151 KM-201 KM-260	KM-320, 515, 901 KML-250, 351, 451, 631 KMD-410, 450 KML-700-M KMS-830 DKM-500	All Models	All Models
H9320-52	Twin 2 x (2 GPM)	N/A	KM-600, 650, 1340M, 1601M, 1601S, 1900S, 2100S, 2500S KMD-850M, 901 KMS-750, 822, 1401 KMH-2000S	N/A	N/A
H9320-53	Triple 3 x (2 GPM)	N/A	KM-1301S KM-1400-M KMS-2000	N/A	N/A
H9655-11	Replacement Cartridge (1) One each				



HOSHIZAKI H9320 FILTER

Available in single, twin and triple configurations. Rated NSF Class 1, STD 42, for taste, odor and chlorine reduction and for mechanical filtration (99.9+% removal of particles 1/2 micron and larger in size.) Also takes out cysts with sub-micron filtration.


Height of Systems (Manifold + Cartridge)

Single System - 18.4" H
Twin System - 19.11" H
Triple System - 19.15" H

E-10 and E-20 Prefilters can be used for post mix applications. Everpure prefilters are designed to increase the life of Everpure pre-coat water filters in areas with an unusual amount of dirt in the water. With a 10 micron (nominal) rating, the economical Everpure prefilter traps much of the dirt which contributes to scale buildup in ice makers, and clogs the delicate orifices of other water-using equipment.

When you install an Everpure prefilter, the pre-coat filters can concentrate on what they do best: remove particles 1/2 micron and larger in size.

Replacement Cartridges:
E-20 Prefilter: 6 pack (9534-26), 20 pack (9534-20)
E-10 Prefilter: 12 pack (9534-12), 40 pack (9534-40)



E-20 PREFILTER (9795-90)

Recommended for twin and triple configuration



E-10 PREFILTER (9795-80)

Recommended for single configuration



The H9320 System is Tested and Certified by NSF International against NSF/ANSI Standard 42 for the reduction of:

- Std. No. 42 - Aesthetic effects**
- Aesthetic Effects
- Bacteriostatic Effects
- Chemical Reduction
- Taste & Odor
- Chlorine
- Mechanical Filtration
- Nominal Particulate Class 1

The H9320 Filters and their respective cartridges have been tested and listed by NSF only for the functions listed above. Check for compliance with state and local laws and regulations. Do not use where the water is microbiologically unsafe, or with waters of unknown quality without adequate disinfection before or after the unit. The H9320 filter can be used with water that may contain filterable cysts.

