

LOS RIOS COMMUNITY COLLEGE DISTRICT

PURCHASING: (916) 568-3071 • FAX: (916) 568-3145
 ACCOUNTING OPS: (916) 568-3065 • FAX: (916) 286-3636

PURCHASE ORDER NO 0001087096

PLEASE SEE REVERSE SIDE FOR TERMS AND CONDITIONS.

Date 05/31/2016	Revision 1 - 05/31/2016	Page 1
Payment Terms NET 30	Freight Terms Shipping Point	Ship Via Best Metho
Reference: 1007979 CHUEH V ROUILLER S		Location / Dept 04ASPH143 STUSVC

Supplier: 0000002677
 INLAND BUSINESS SYSTEMS INC
 1326 NORTH MARKET BLVD
 SACRAMENTO CA 95834

Phone: (916) 928-0770
Fax: (916) 928-0889

email:

Ship To: FOLSOM LAKE COLLEGE
 RECEIVING
 10 COLLEGE PARKWAY
 FOLSOM CA 95630
 United States

Bill To: 1919 Spanos Court
 Sacramento CA 95825-3981
 United States

Tax Exempt? N

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
1- 1	COPIER LICENSE; 11PC-RICOHEB RICOH ESA EMBEDDED LICENSE(S), UP TO 10. MFDS MUST SUPPORT ESA SDK 2.0 OR NEWER, WITH LCD SCREEN & JAVA CARD INSTALLED FOLSOM COMMUNITY COLLEGE ADD-ON 5TH RICOH	1.00	EA	493.34	493.34	05/25/2016
2- 1	COPIER SOFTWARE UPDATES; UGASSURANCE-1 SOFTWARE UPDATES; PHONE, EMAIL, AND REMOTE SUPPORT 1 YEAR PRORATED SUPPORT FOR REMAINING 3 MONTHS (UNTIL 04-JUN-2016)	1.00	EA	24.66	24.66	05/25/2016

PER QUOTE# 38113

Sub Total Amount	518.00
Sales Tax Amount	0.00
Total PO Amount	518.00

BU	Acct	Fd	Org	Prog	Sub	Proj	Amount	BYear
GENFD	5600	12	FL.VS.SSSP	63000	00000	597P	24.66	2016
GENFD	5601	12	FL.VS.SSSP	63000	00000	597P	493.34	2016

0001007979KIRKLINK09-MAY-2016

All shipments, invoices, and correspondence must be identified with our Purchase Order Number. Overshipments will not be accepted unless authorized by Buyer prior to shipment.

Authorized Signature

Notice to vendor: You are responsible for delivering goods and delivery documents to the Receiving Department at the site. Failure to do so will delay payment processing. Vendor is responsible for obtaining verification of delivery by authorized Receiving Room personnel. Receipt of goods by other parties and failure to obtain authorized signatures may also delay payment. NOTE: PAYMENT TERMS NET 30
 MATERIAL SAFETY DATA SHEETS (MSDS) must be provided with the delivery of product as required by law.

LOS RIOS COMMUNITY COLLEGE DISTRICT

American River College • Cosumnes River College • Folsom Lake College • Sacramento City College

PURCHASE ORDER TERMS AND CONDITIONS

1. **APPLICABLE LAW:** The contract resulting from this order shall be governed by the laws of the State of California
2. **COMPLETION OF ORDERS:** LRCCD reserves the right to withhold payment until order is completed.
3. **DISCOUNTS:** Please show cash payment discount offered on your invoice in connection with any discount offered, time will be computed from date of delivery of the supplies or equipment, or from date correct invoices are received in the office specified by LRCCD if the latter date is later than the date of delivery. Payment is deemed to be made for the purpose of earning discount, on the date payment is mailed or on behalf of LRCCD.
4. **INVOICES:** Invoices shall be prepared and submitted in duplicate unless otherwise specified. Invoices shall contain Purchase order number, date, description of items, sizes and quantities, unit prices, extended totals, place and date of delivery. Invoices or vouchers not on printed bill heads shall be signed by the CONTRACTOR or person furnishing the supplies or services. Every invoice shall be properly itemized. If LRCCD has not received billing for product or services within a one year period LRCCD will not be held responsible for satisfying the debt.
5. **CHANGES:** No change or modification in terms, quantities, or specifications may be made without express authorization in writing from the LRCCD Purchasing Office and signed by the parties hereto, and no oral understanding or agreement not incorporated herein shall be binding on any of the parties hereto. If unit cost of any item exceeds the amount shown by 10% or \$250.00 whichever is less do not ship. Contact LRCCD Purchasing at the phone number provided.
6. **BILL OF LADING:** If Bill of Lading is applicable to this order, send originals to "Ship to" address and duplicate Bill of Lading with invoices to "Bill to" address. All correspondence, invoices, bills of lading, shipping memos, packages, etc., must show purchase order number. If factory shipment, advise factory to comply.
7. **TRANSPORTATION CHARGES:** Invoices for prepaid transportation charges must be supported by original receipted expense bills.
8. **FOB POINT AND FREIGHT CHARGES:** Unless otherwise specified on this order, all items shall be delivered FOB Destination. No charge for delivery, drayage, express, parcel post, packing, cartage, insurance, license fees, permits, or for any other purpose will be paid by LRCCD unless expressly included and itemized in the order. Unless otherwise shown, on "FOB Shipping Point" transactions, CONTRACTOR shall arrange for lowest cost transportation, prepay and add freight to invoice and furnish supporting freight bills if the amount exceeds \$50.00. On "FOB Shipping Point" transactions, should any shipments under this purchase order be received by LRCCD in a damaged condition and any related freight loss and damage claims filed against the carrier or carriers be wholly or partially declined with the inference that damage was the result of the act of the shipper such as inadequate packaging or loading or some inherent defect in the equipment and/or material, CONTRACTOR on request of LRCCD shall at CONTRACTOR's own expense assist LRCCD in establishing carrier liability by supplying evidence that the equipment and/or materials was properly constructed, manufactured, packaged, and secured to withstand normal transportation conditions. Shipments that are California intrastate in nature and where freight is to be borne by LRCCD shall be tendered to carriers with written instructions that rate and charges may not exceed the lowest lawful rates on file with the California Public Utilities Commission.
9. **PATENT INDEMNITY:** The CONTRACTOR shall hold LRCCD, its officers, agents and employees harmless from alleged liability of any nature or kind, including costs and attorney fees and expenses, for infringement or use of any copyrighted or uncopyrighted composition, secret process, patented or unpatented invention, article or appliance furnished or used in connection with the contract or purchase order.
10. **TAXES:** Certain articles sold to LRCCD are exempt from certain Federal excise taxes. LRCCD will reimburse the CONTRACTOR for, or pay directly, all California State and local sales and use taxes applicable to this purchase.
11. **EQUAL OPPORTUNITY EMPLOYER:** The acceptance of this purchase order by a supplier of goods and services is a certification that such supplier complies with all provisions of executive order 11246 and is an equal opportunity employer.
12. **GENERAL SAFETY ORDERS:** All materials, supplies and services sold to LRCCD shall conform to the general safety orders of the State of California. All materials, except as otherwise specified, must be new and of the best quality of their respective kinds.
13. **INDEMNIFICATION:** CONTRACTOR shall indemnify, defend and hold harmless LRCCD, its trustees, officers, agents, employees and volunteers, from any and all claims, demands, suits, causes of action, damages, penalties, breaches of this agreement, infringement of patent rights, costs, expenses, violations of employee occupational health and safety laws, attorney fees, losses or liability, property damage, personal injuries to or death of persons, arising out of, alleged to have arisen out of, or relating in any way to CONTRACTOR's work to be performed under this agreement, except if caused solely by the negligence of LRCCD.
14. **TERMINATION:** LRCCD may terminate this agreement and be relieved of the payment of any consideration to CONTRACTOR should CONTRACTOR fail to perform the covenants herein contained at the time and in the manner herein provided. In the event of such termination LRCCD may proceed with the work in any manner deemed proper by LRCCD. The cost to LRCCD shall be deducted from any sum due the CONTRACTOR under this agreement and the balance if any, shall be paid the CONTRACTOR upon demand.
15. **ASSIGNMENT:** Without the written consent of LRCCD, this agreement is not assignable by CONTRACTOR either in whole or in part.
16. **PUBLIC WORKS PROJECTS:** CONTRACTOR must comply with Public Contract Code.
17. **CA LABOR CODE:** Pursuant to Section 1700, and following, the CONTRACTOR shall pay not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations. Copies of such prevailing rate of per diem wages are on file at the Business Office of the Los Rios Community College District, 1919 Spanos Court, Sacramento, CA 95825. Those copies shall be made available to any interested party upon request. The CONTRACTOR shall forfeit, as penalty to the LRCCD, Fifty Dollars (\$50.00) for each calendar day or portion thereof, for each workman paid less than the stipulated prevailing rates for any work done under the contract by him/her or by any subcontractor under him, in violation of the provisions of such Labor Code.
18. **NOTICE:** Your employees may be exposed to hazardous substances during the course of their work while on LRCCD property. For additional information on the hazardous substances that your employees may be exposed to contact the LRCCD General Services Department at (916) 568-3048.
19. **INSURANCE:** CONTRACTOR shall, at all times, maintain in full force and effect the following insurance: Workers' Compensation, Commercial General Liability, Auto Liability, and Professional Liability if licensed professional. Policy limits for each shall be at least \$1,000,000 AND \$3,000,000 AGGREGATE for bodily injury, personal injury and property damage. Any combination of General Liability and Excess Coverage can be combined to meet the Aggregate. LRCCD shall be named as an additional insured on CONTRACTOR's policies. The CONTRACTOR shall provide a certificate of insurance and required endorsements to comply with this section at least 15 days prior to commencement of work under this contract. The certificate shall state that LRCCD will be given 30 days notice of any material change or cancellation in coverage.
20. **DISQUALIFIED EMPLOYEES:** CONTRACTOR shall ensure that persons who perform services on LRCCD property have not been convicted of any felony, or any controlled substance offense or any sex offense as those terms are defined by Education Code section 87008-87010. If LRCCD determines that any person employed by CONTRACTOR to work on LRCCD property is incompetent, unfaithful, intemperate, disorderly, abusive or is otherwise unsatisfactory, CONTRACTOR shall cause that employee to be removed from working on LRCCD property immediately, and that person shall not be employed again on LRCCD property.
21. **WORK AUTHORIZATION:** Prior to LRCCD's acceptance of this Agreement, CONTRACTORS who are not U.S. citizens must provide verification of (a) work authorization status from the appropriate U.S. Department of State; (b) a copy of their U.S. visa; (c) the number of days present in the U.S.; and (d) tax treaty status. LRCCD shall not make any payments to CONTRACTOR unless CONTRACTOR holds the appropriate U.S. visa. CONTRACTOR is responsible for ensuring they are in possession of the appropriate visa.
22. **WARRANTY:** CONTRACTOR expressly warrants that all materials, goods, equipment, services, and/or labor shall conform to the requirements set forth or incorporated into this order and any applicable industry standards or requirements, shall be merchantable and free from defects in workmanship, materials and/or design (including latent defects), and shall perform as specified. CONTRACTOR further warrants that all materials, goods, equipment, services, and/or labor will be fit and sufficient for the particular purposes intended by LRCCD. Unless agreed upon otherwise between LRCCD and CONTRACTOR, the warranty period shall be the longer of: (a) any express warranty included in this service agreement; (b) one year after the materials, goods, equipment, services, and/or labor are accepted by LRCCD; or (c) any warranty period provided under any applicable California law.

Requisition

Supplier INLAND BUSINESS SYSTEMS INC
1500 NORTH MARKET BLVD
SACRAMENTO CA 95834
United States

Ship To: RECEIVING
10 COLLEGE PARKWAY
FOLSOM CA 95630-6798

Business Unit: GENFD OPEN		
Req ID: 0001007979	Date: 05/06/2016	Page: 1
Requisition Name: 2016 INLAND BUSINESS DAWN SIRA		
Requester: Valerie Chueh	Bldg#: STUSVC	
Requester Signature		
Buyer: Suzanne Rouiller		
Approved:		

Line-Schd	Description	Quantity	UOM	Price	Extended Amt	Due Date
1-1	COPIER LICENSE; 11PC-RICOHEB RICOH ESA EMBEDDED LICENSE(S), UP TO 10. MFDS MUST SUPPORT ESA SDK 2.0 OR NEWER, WITH LCD SCREEN & JAVA CARD INSTALLED FOLSOM COMMUNITY COLLEGE ADD-ON 5TH RICOH	1	EA	493.34	493.34	
ASSET DEPT: STUSVC LOCATION: 04ASPH143 CATEGORY: SOFTW 1 PROFILE: SOFTW						
2-1	COPIER SOFTWARE UPDATES; UGASSURANCE-1 SOFTWARE UPDATES; PHONE, EMAIL, AND REMOTE SUPPORT 1 YEAR PRORATED SUPPORT FOR REMAINING 3 MONTHS (UNTIL 04-JUN-2016)	1	EA	24.66	24.66	
ASSET DEPT: STUSVC LOCATION: 04ASPH143 CATEGORY: SOFTW 1 PROFILE: SOFTW						

Total Requisition Amount: 518.00

NO TAX

<u>BU</u>	<u>Acct</u>	<u>Fd</u>	<u>Org</u>	<u>Prog</u>	<u>Sub</u>	<u>Proj</u>	<u>Amount</u>
GENFD	6490	12	FL.VS.SSSP	63000	00000	597P	518.00

Purchases Charged to Catagorical Programs, Grants or Special Project.

This purchase is in compliance with the requirement of SSSP

For grants/special projects 597P

Name: Buyer

Approval Signature <i>Buyer</i>	Approval Signature	Approval Signature
------------------------------------	--------------------	--------------------



Inland Business Systems
1326 North Market Blvd.
Sacramento, California
95834

Quote 38113

Valid Till: 04/09/2016

Last Modified Time: 02/29/2016 04:47 PM

BILL TO:

Account Name: **Inland Business Systems**
Contact Name: **Vendor Quotes**

Inland Business Systems
1326 North Market Blvd
Sacramento, CA 95834

SHIP TO:

Account Name: **Inland Business Systems**
Contact Name: **Vendor Quotes**

Inland Business Systems
1326 North Market Blvd
Sacramento, CA 95834

*sales Rep
Steven
Kott*

Date of Quote: **02/29/2016**

Reference:

Quote Stage: **Delivered**

End User: **Folsom Community College**

Line	Product Details	Qty	Price	Total
1.	11PC-Ricoheh Ricoh ESA embedded license(s), up to 10. MFDs must support ESA SDK 2.0 or newer, with LCD screen & Java card installed	1	\$	\$ 493.34
2.	Folsom Community College Add-On 5th Ricoh UGassurance-1 Software Updates; Phone, email, and remote support 1 year Prorated support for remaining 3 months (until 04-Jun-2016)	1		\$ 24.66
				Sub Total\$
				518.00
				Discount\$ 0.00
				Adjustments\$
				0.00
Grand Total				\$ 518.00

Terms and Conditions

Unless otherwise specified this quote is in US currency
Unless otherwise specified this quote does not include freight charges
IBS-Soluti installation fees are not refundable
Additional fees will apply to credit card transactions

*major Acct Rep
Kevin Karts
928-0770
ask for cell*

Prepared for James L. Cosentino
IT Analyst II, Systems & DB
IT Services Dept
Folsom Lake College
10 College Parkway
Folsom, CA 95630
cosentj@flc.losrios.edu

*"Kenny Lewis
klewis@inland
business.us"*



HP LaserJet Enterprise M506 series

Get a faster startup and help protect against threats with multi-level device security.

Finish key tasks faster with a printer that starts right away and helps conserve energy.¹ Multi-level device security helps protect from threats. Original HP Toner cartridges with JetIntelligence and this printer produce more high-quality pages.²



HP LaserJet Enterprise M506n



HP LaserJet Enterprise M506dn



HP LaserJet Enterprise M506x

Accelerate your work and use less energy

- Don't wait for documents. Print your first page in as few as 8.3 seconds from energy-efficient sleep mode.¹
- This printer leads its class in low energy use—thanks to its innovative design and toner technology.⁵
- Speed through jobs on a variety of media. Print two-sided documents almost as quickly as one.
- Now almost 27% smaller—this printer fits in tight places and delivers quiet operation.³

Unparalleled fleet security and management

- Embedded features detect security threats and heal your printer, protecting it from boot up to shutdown.
- Protect sensitive data stored on the printer and in transit, using embedded and optional security features.⁷
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.⁸
- Centralize control of your print environment with HP Web Jetadmin⁹—and help build business efficiency.

More. Pages, Performance, and Protection.

- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Get more. Original HP Toner with JetIntelligence delivers more pages per cartridge than predecessors.²
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with a preinstalled toner cartridge. Replace it with an optional high-yield cartridge.⁶

Stay connected with secure mobile printing options


- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.¹¹
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.¹²
- Easily access, print, and share resources with Ethernet and optional wireless networking.¹⁰

¹Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/ljclaims. ²More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies. ³Compared with the HP LaserJet Enterprise P3015. ⁴Purchase of optional paper trays required to reach maximum input capacity. ⁵Based on HP testing using the ENERGY STAR[®] program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/ljclaims. ⁶HP 87X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. ⁷Some features require additional purchase. Learn more at hp.com/go/printsecurity. ⁸HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin. ⁹Some solutions require download or additional purchase. Learn more at hp.com/go/printingsolutions. ¹⁰Wireless networking requires purchase of the HP Jetdirect 2900w Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ¹¹Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device needs to be connected directly to the WiFi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting. ¹²Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

HP LaserJet Enterprise M506x

Product walkaround

1. Intuitive 4.3-inch (10.9 cm) color VGA control panel tilts up for easier viewing
2. Home button (returns to home screen)
3. 250-sheet output bin
4. Easy-access USB port to print files directly¹
5. Top cover access to Original HP Toner cartridge with JetIntelligence
6. 100-sheet multipurpose tray
7. Two 550-sheet input trays for a 1,200 sheet total input capacity
8. Hardware Integration Pocket (HIP) for solution integration²
9. Built-in wireless direct³ /NFC touch-to-print⁴
10. Convenient front on/off switch
11. Built-in automatic two-sided printing
12. Rear door (access to the print path)
13. 512 MB standard memory (upgradeable to 1.5 GB) and a 1.2 GHz processor
14. Access port for optional Kensington-style lock
15. HP Jetdirect Gigabit/Fast Ethernet embedded print server
16. Hi-Speed USB 2.0 port (for connecting third-party devices)
17. Hi-Speed USB 2.0 printing port



Close-up of I/O ports

Series at a glance



Model	HP LaserJet Enterprise M506n	HP LaserJet Enterprise M506dn	HP LaserJet Enterprise M506x
Product number	F2A68A	F2A69A	F2A70A
100-sheet multipurpose tray, 550 sheet input tray 2	√	√	√
550-sheet input tray 3	Optional	Optional	√
2 550-sheet input trays 4 and 5⁵	Optional	Optional	Optional
Printer cabinet	Optional	Optional	Optional
Control panel	4-line display with keypad	4-line display with keypad	4.3-inch (10.9 cm) touchscreen
HP High Performance Secure Hard Disk	Optional	Optional	Optional
Hardware Integration Pocket (HIP)²	Not available	√	√
Automatic duplexing	Not available	√	√
Wireless direct³ and NFC touch-to-print⁴	Optional	Optional	√
ENERGY STAR[®] and Blue Angel certified	Not available	√	√

¹An administrator must enable the easy-access USB port before use. ²The Hardware Integration Pocket is only available for the HP LaserJet Enterprise M506dn and M506x models. Enabling the HIP requires purchase of optional HP Internal USB Parts for M506/M527 accessory (F2A87A). Solutions deployed through the Hardware Integration Pocket may require additional purchase. ³Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting. ⁴Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting. ⁵Based on ISO/IEC 19752 cartridge yields for HP 55X High Yield Black Original LaserJet Toner cartridges compared with HP 87X High Yield Black Original LaserJet Toner cartridges. Learn more at hp.com/go/learnaboutsupplies.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc

Top features

Work quickly with the fastest first page out from sleep mode—on the most energy-efficient printer in its class.¹⁵ Launch two-sided printing right from the touchscreen. Reload paper less often with a substantial 2,300-sheet maximum capacity.⁴

Trust your printer is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire printer fleet.

Bring out the best in your printer. Print more high-quality pages than ever before,⁷ using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access¹¹—and keep users connected with Ethernet and optional wireless networking. Print with just a touch from mobile devices.¹²

Accessories

F2A72A - HP LaserJet 550-sheet Paper Tray
 F2A73A - HP LaserJet Printer Cabinet
 G6W84A - 1GB DDR3 SlimDIMM
 B5L29A - HP Secure High Performance Hard Disk Drive
 F5S62A - HP Trusted Platform Module Accessory
 F2A87A - HP Internal USB Ports for M506, M527
 B5L28A - HP Internal USB Ports
 J8031A - HP Jetdirect 2900nw Print Server (USB)
 J8030A - HP Jetdirect 3000w NFC/Wireless Accessory

Supplies

CF287A - HP 872A Black Original LaserJet Toner Cartridge, 9K yield
 CF287X - HP 872X Black Original LaserJet Toner Cartridge, 18K yield

Services

HP LaserJet Enterprise M506 Series

U8PK3E - HP 3 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support
 U8PK4E - HP 4 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support
 U8PK5E - HP 5 year Next Business Day + Defective Media Retention LaserJet M506 Hardware Support
 U8PK7E - HP 3 year Next Business Day Exchange LaserJet M506 Service
 UC742E - HP Network Install Mono Mid-range LaserJet Service



¹ Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/ljclaims ² More pages versus predecessor cartridges claim based on page-yield comparison of HP 55X High Yield Black Original LaserJet Toner Cartridges with HP 87X High Yield Black Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies ³ Compared with the HP LaserJet Enterprise P3015 ⁴ Purchase of optional paper trays required to reach maximum input capacity. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/ljclaims ⁶ HP 87X High Yield Black Original LaserJet Toner Cartridges not included; please purchase separately. ⁷ Some features require additional purchase. Learn more at hp.com/go/printsecurity ⁸ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin ⁹ Some solutions require download or additional purchase. Learn more at hp.com/go/printingsolutions ¹⁰ Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ¹¹ Wireless direct printing is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device needs to be connected directly to the WiFi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. For details, see hp.com/go/businessmobileprinting ¹² Touch-to-print capability is standard on the HP LaserJet Enterprise M506x only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP LaserJet Enterprise M506n/dn. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting

HP LaserJet Enterprise M506 series

Technical Specifications	HP LaserJet Enterprise M506n(F2A68A)	HP LaserJet Enterprise M506dn(F2A69A)	HP LaserJet Enterprise M506x(F2A70A)
Print speed	Letter: Up to 45 ppm black; ¹⁸ First Page Out Black: As fast as 5.9 sec. As fast as 11.3 sec (100 V); ¹⁹ Black (best): Up to 1200 x 1200 dpi		
Print resolution	Laser Print Resolution Technologies: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200		
Print Technology	1 (black)		
Print Cartridges Number	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.7)		
Standard Print Languages	FutureSmart Firmware, Open Extensibility Platform, Instant-on Technology, HP Auto-On/Off technology, Easy Access USB, JetIntelligence cartridges, Mopria-certified, Apple AirPrint™, HP ePrint, Online help		
Printer Smart Software Features	FutureSmart Firmware, Open Extensibility Platform, Instant-on Technology, HP Auto-On/Off technology, Easy Access USB, Two-Sided Printing, JetIntelligence cartridges, Mopria-certified, Apple AirPrint™, HP ePrint, Hardware Integration Pocket, Online help		
Printer Management	Printer Management, Printer Administrator Resource Kit (Driver Configuration Utility, Driver Deployment Utility, Managed Printing Administrator), HP Web JetAdmin Software, HP Proxy Agent Software, HP JetAdvantage Security Manager		
Standard Connectivity	Hi-Speed USB 2.0 port built-in; Fast Ethernet 10Base-T/100Base-Tx; Gigabit Ethernet 1000Base-T		
Network Capabilities	IPv4/IPv6, Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, XMPP, IPsec/Firewall, IPv6, DHCPv6, MLDv1, ICMPv6, IPv4: Auto-IP, SLIP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print		
Network Ready	Standard (built-in Gigabit Ethernet)		
Wireless Capability	Optional, enabled with purchase of HW accessories:		Yes, NFC/Wireless
Mobile Printing Capability	HP ePrint, Apple AirPrint™, Mopria-certified ¹⁶		HP ePrint, Apple AirPrint™, Mopria-certified, Wireless direct printing, NFC touch-to-print ¹⁷
Memory	Standard: 512 MB; Maximum: 1.5 GB		
Processor Speed	1.2 GHz / Hard disk: optional, 500 GB minimum encrypted hard disk drive		
Duty Cycle	Monthly, Letter: Up to 150,000 pages ⁷ ; Recommended Monthly Page Volume: 2000 to 7500 ⁸		
Paper Handling	Input Capacities: 100-sheet multipurpose Tray 1, 550-sheet input Tray 2, and 3(M506n) automatic duplex printing (M506dn & M506x); Up to 650 sheets standard labels legal; Up to 1200 sheets standard labels legal (M506x). Output Capacities: 250-sheet output bin; Up to 250 sheets standard labels legal. Duplex Options: Manual (driver support provided) (M506n); Automatic (standard) (M506dn & M506x). Envelope Feeder: No. Standard Paper Trays: 2(M506n & M506dn) 3(M506x). Media Types Supported: Paper (bond, color, letterhead, plain, preprinted, uncoated, recycled, rough), envelopes; labels; cardstock; transparencies; user-defined. Media Weight Supported: Tray 1: 16 to 53 lb; tray 2+: 16 to 32 lb; Media Sizes Supported: Tray 1: Letter, legal, executive, 4 x 6, 5 x 8, 8.5 x 13, envelopes (No. 10, Monarch), Tray 2: Letter, legal, executive, 8.5 x 13; Optional trays 3+: Letter, legal, executive, 8.5 x 13 in; Optional Automatic Duplexer: Letter. Media Sizes Custom: Tray 1: 3 x 5 to 8.5 x 14 in; 550-sheet input Tray 2: 4.1 x 5.8 to 8.5 x 14 in; optional 550-sheet input Tray 3+: 4.1 x 5.8 to 8.5 x 14 in		
Product Dimensions	W x D x H: 16.46 x 14.80 x 11.73 in ¹² ; Maximum: 16.46 x 25.16 x 11.73 in		W x D x H: 16.46 x 14.80 x 18.94 in ¹³ ; Maximum: 16.46 x 25.16 x 18.94 in
Product Weight	25.5 lb ¹⁴		25.9 lb ¹⁴
What's in the box	HP LaserJet M506x Printer; Introductory HP Black LaserJet Toner Cartridge (6,000 pages); CDs containing software and electronic documentation; Warranty Guides; HIGS; Erratas; 550-sheet Paper Tray (M506x only) ²⁰		
Warranty Features	One-year, return to bench warranty		
Energy Efficiency Compliance	ENERGY STAR® certified; Blue Angel; CECP; EPEAT®		4 3-in touchscreen with color graphics
Control Panel	4-line color LCD; 19 buttons (Cancel job, Up and Down arrow, Select, Back, Home, 12-key and Help); 3 LED indicator lights (Attention, Ready, Busy)		4 3-in color touchscreen
Display Description	4-line LCD (color graphics)		4 3-in color touchscreen
Software Included	For Windows OS: HP Software Installer/Uninstaller, HP PCL 6 Printer Driver, HP Device Experience (DXP), HP Update, Product Registration Assist, HP Web Services Assist (HP Connected), Online user manuals; For Mac OS: Welcome Screen (Directs users to http://www.hp.com or OS App Store for LaserJet Software)		
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type), 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and iPDF Emulation available at http://www.hp.com/go/laserjetfonts		
Compatible Operating Systems	Windows OS compatible with In-Box Driver: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows OS compatible with Universal Print Driver (from HP.com): Windows XP SP3 32- & 64-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32- & 64-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); Mac OS (HP Print Drivers available from http://www.hp.com and Apple Store); OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Mobile OS (in-OS drivers): iOS, Android, Windows 8/8.1/10 RT; Linux OS (in-OS HPLIP): SUSE Linux (12.2, 12.3, 13.1), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Boss (3.0, 5.0), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), Debian (6.0.x, 7.x); Other OS: UNIX ¹¹		
Compatible Network Operating Systems	Windows OS compatible with In-Box Driver: Windows Server 2003/2003 R2 32-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 32-/64-bit (SP2) Standard/Enterprise (+ Cluster & Terminal Services); Windows Server 2008 R2 64-bit (SP1) Standard/Enterprise (+ Cluster & Terminal Services); Windows OS compatible with Universal Print Driver (UPD) or Product-Specific drivers from HP.com: Windows Server 2003/2003 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2008/2008 R2 32-/64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Windows Server 2012/2012 R2 64-bit (SP1/SP2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services); Citrix (on Windows Server 2003/2003R2): Citrix MetaFrame Presentation Server, 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3); Citrix (on Windows Server 2008/2008 R2): Citrix XenApp 5.0 (Plus Feature Pack 2 & 3), Citrix XenApp 6.0/6.5/7.5, Citrix XenDesktop 5.6/7.0/7.5, Citrix (on Windows Server 2012/2012R2): Citrix XenApp 7.5, Citrix XenDesktop 7.0/7.5; Novell Servers (http://www.novell.com/print): Novell Print Appliance v1.0, Novell Open Enterprise Server 11/SP1, Novell Open Enterprise Server 2 for Linux; NetWare 6.5/SP8; Novell Clients (http://www.novell.com/print): Windows 8 (32-bit / 64-bit) recommend v5.86+; 8.1 recommend v5.94+; Windows 7 (32-bit / 64-bit) recommend v5.82+; Windows Vista (32-bit / 64-bit) recommend v5.82+; Windows XP / SP3 (32-bit only) recommend v5.82+		
Minimum System Requirements	PC: Windows XP SP3 all 32-bit editions (XP Home, XP Pro, etc.); Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.); Windows 7 all 32- & 64-bit editions (excluding RT OS for Tablets); Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets); CD-ROM or DVD drive or, Internet connection; Dedicated USB or network connection or; Wireless connection; 200 MB available hard disk space; OS compatible hardware (For OS hardware requirements see http://www.microsoft.com); MAC: Mac OS X 10.8 Mountain Lion, OS X 10.9 Mavericks, OS X 10.10 Yosemite; Internet; USB; 1 GB available hard disk; OS compatible hardware (For OS hardware requirements see http://www.apple.com)		
Power	Power Supply Type: Internal (Built-in) power supply. Power Requirements: Input voltage: 100 to 127 VAC, 60 Hz; Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, power supply varies by part number with #option code identifier); Power Consumption: 741.98 watts (Active Printing), 13.72 watts (Ready), 2.51 watts (Sleep), 0.08 watts (Auto-Off), 0.08 watts (Off). Typical Electricity Consumption: 1.886 kWhrs/Week @ 115V ²		
Acoustics	Acoustic Power Emissions: 6.8 dB(A). Acoustic Pressure Emissions: 54 dB(A) ⁵		
Operating Environment	Operating Temperature Range: 59 to 90.5°F; Recommended Operating Temperature Range: 63.5 to 77°F; Storage Temperature Range: -4 to 140°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 30 to 70% RH		
Security Management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP-PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in		

¹ AirPrint™ and iOS 4.2 or later devices require an 802.11 wireless network connection to the printer. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint and the AirPrint Logo are trademarks of Apple® Inc. Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at hp.com/go/mobileprinting. ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ³ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). ⁴ Based on the BA TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ⁵ Declared yield value in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutsupplies. ⁶ Acoustic values are subject to change. For current information see hp.com/support. Configuration tested: dn model, simplex printing, A4 paper at 43 ppm. ⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁸ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁹ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit hp.com/go/SureSupply. ¹⁰ Paper handling accessories are offered separately and with an additional cost. ¹¹ Not all "Compatible Operating Systems" are supported with in-box software. Full solution software available only for Windows 7 and newer; Legacy Windows Operating Systems (XP, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX models/descriptors are available on HP.com (Models/servers are printer drivers for UNIX operating systems); Linux, Vista, and equivalent servers) get print and Scan drivers only; Windows RT OS for Tablets (32- & 64-bit) uses a simplified HP print driver built into the RT OS; UNIX models/descriptors are available on HP.com (Models/servers are printer drivers for UNIX operating systems); Linux systems use in-OS HPLIP software. ¹² Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ¹³ Measured using ISO/IEC 17629. For more information see hp.com/go/printerclaims. Exact speed varies depending on the input voltage, system configuration, software application, driver, and document complexity. ¹⁴ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies. The HP LaserJet Enterprise M506 series in-box cartridge may have a higher yield than stated for printer units manufactured before 2017.

Learn more at hp.com

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

