

LOS RIOS COMMUNITY COLLEGE DISTRICT

PURCHASING: (916) 568-3071 • FAX: (916) 568-3145

ACCOUNTING OPS: (916) 568-3065 • FAX: (916) 286-3636

PLEASE SEE REVERSE SIDE FOR TERMS AND CONDITIONS.

PURCHASE ORDER NO 0003016451

| Date | Revision | Page |
|------------------------------|------------------|------------|
| 10/06/2015 | 1 - 10/09/2015 | 1 |
| Payment Terms | Freight Terms | Ship Via |
| NET 30 | Shipping Point | Best Metho |
| Reference: | Location / Dept | |
| 3005216 JOHNSON C ROUILLER S | 04ASPH108 STUSVC | |

Supplier: 0000036040
 CAMPBELL KELLER
 3041 65TH ST STE 3
 SACRAMENTO CA 95820

Phone: (916) 737-3300
 Fax: (916) 737-3305

email:

Ship To: FOLSOM LAKE COLLEGE RECEIVING
 10 COLLEGE PARKWAY
 FOLSOM CA 95630-6798
 United States

Bill To: 1919 Spanos Court
 Sacramento CA 95825-3981
 United States

Tax Exempt? N

| Line-Sch | Item/Description | Quantity | UOM | PO Price | Extended Amt | Due Date |
|----------|---|----------|-----|-----------|--------------|------------|
| 1- 1 | WORK STATIONS (10) | 1.00 | LOT | 28,572.88 | 28,572.88 | 10/20/2015 |
| 2- 1 | FURNITURE, ADDITIONAL | 1.00 | LOT | 17,063.26 | 17,063.26 | 10/20/2015 |
| 3- 1 | TABLE, ELEVATOR, RECTANGLE, 24D, 2 STAGE BASE DISC 12/31/15, BLACK #ATB2S24.P27 | 2.00 | EA | 1,094.46 | 2,188.92 | 10/20/2015 |
| 4- 1 | SHIPPING - SMALL ORDER FEE | 1.00 | EA | 43.83 | 43.83 | 10/20/2015 |

PER PROPOSAL# 103583

PROJECT# 705-5

| | |
|------------------|-----------|
| Sub Total Amount | 47,868.89 |
| Sales Tax Amount | 3,829.51 |
| Total PO Amount | 51,698.40 |

| | | | | | | | | |
|-----------|-------------|-----------|------------|-------------|------------|-------------|---------------|--------------|
| <u>BU</u> | <u>Acct</u> | <u>Fd</u> | <u>Org</u> | <u>Prog</u> | <u>Sub</u> | <u>Proj</u> | <u>Amount</u> | <u>BYear</u> |
| COPFD | 6490 | 41 | FL.VA.PROJ | 71000 | 00199 | 041A | 51,698.40 | 2016 |

0003005216KIRKLINK25-SEP-2015

Verification of this purchase order can be made using the Los Rios Community College District web site listed below.
 If you have any questions, please contact the Purchasing Office at (916) 568-3071.

<http://www.lorrios.edu/purchasing/povalidation>

All shipments, invoices, and correspondence must be identified with our Purchase Order Number. Overshipments will not be accepted unless authorized by Buyer prior to shipment.

Authorized Signature

Notice to vendor: You are responsible for delivering goods and delivery documents to the Receiving Department at the site. Failure to do so will delay payment processing. Vendor is responsible for obtaining verification of delivery by authorized Receiving Room personnel. Receipt of goods by other parties and failure to obtain authorized signatures may also delay payment. NOTE: PAYMENT TERMS NET 30
 MATERIAL SAFETY DATA SHEETS (MSDS) must be provided with the delivery of product as required by law.

LOS RIOS COMMUNITY COLLEGE DISTRICT

American River College • Cosumnes River College • Folsom Lake College • Sacramento City College
PURCHASE ORDER TERMS AND CONDITIONS

1. APPLICABLE LAW: The contract resulting from this order shall be governed by the laws of the State of California
2. COMPLETION OF ORDERS: LRCCD reserves the right to withhold payment until order is completed.
3. DISCOUNTS: Please show cash payment discount offered on your invoice in connection with any discount offered, time will be computed from date of delivery of the supplies or equipment, or from date correct invoices are received in the office specified by LRCCD if the latter date is later than the date of delivery. Payment is deemed to be made for the purpose of earning discount, on the date payment is mailed or on behalf of LRCCD.
4. INVOICES: Invoices shall be prepared and submitted in duplicate unless otherwise specified. Invoices shall contain Purchase order number, date, description of items, sizes and quantities, unit prices, extended totals, place and date of delivery. Invoices or vouchers not on printed bill heads shall be signed by the CONTRACTOR or person furnishing the supplies or services. Every invoice shall be properly itemized. If LRCCD has not received billing for product or services within a one year period LRCCD will not be held responsible for satisfying the debt.
5. CHANGES: No change or modification in terms, quantities, or specifications may be made without express authorization in writing from the LRCCD Purchasing Office and signed by the parties hereto, and no oral understanding or agreement not incorporated herein shall be binding on any of the parties hereto. If unit cost of any item exceeds the amount shown by 10% or \$250.00 whichever is less do not ship. Contact LRCCD Purchasing at the phone number provided.
6. BILL OF LADING: If Bill of Lading is applicable to this order, send originals to "Ship to" address and duplicate Bill of Lading with invoices to "Bill to" address. All correspondence, invoices, bills of lading, shipping memos, packages, etc., must show purchase order number. If factory shipment, advise factory to comply.
7. TRANSPORTATION CHARGES: Invoices for prepaid transportation charges must be supported by original receipted expense bills.
8. FOB POINT AND FREIGHT CHARGES: Unless otherwise specified on this order, all items shall be delivered FOB Destination. No charge for delivery, drayage, express, parcel post, packing, cartage, insurance, license fees, permits, or for any other purpose will be paid by LRCCD unless expressly included and itemized in the order. Unless otherwise shown, on "FOB Shipping Point" transactions, CONTRACTOR shall arrange for lowest cost transportation, prepay and add freight to invoice and furnish supporting freight bills if the amount exceeds \$50.00. On "FOB Shipping Point" transactions, should any shipments under this purchase order be received by LRCCD in a damaged condition and any related freight loss and damage claims filed against the carrier or carriers be wholly or partially declined with the inference that damage was the result of the act of the shipper such as inadequate packaging or loading or some inherent defect in the equipment and/or material, CONTRACTOR on request of LRCCD shall at CONTRACTOR's own expense assist LRCCD in establishing carrier liability by supplying evidence that the equipment and/or materials was properly constructed, manufactured, packaged, and secured to withstand normal transportation conditions. Shipments that are California intrastate in nature and where freight is to be borne by LRCCD shall be tendered to carriers with written instructions that rate and charges may not exceed the lowest lawful rates on file with the California Public Utilities Commission.
9. PATENT INDEMNITY: The CONTRACTOR shall hold LRCCD, its officers, agents and employees harmless from alleged liability of any nature or kind, including costs and attorney fees and expenses, for infringement or use of any copyrighted or uncopiedrighted composition, secret process, patented or unpatented invention, article or appliance furnished or used in connection with the contract or purchase order.
10. TAXES: Certain articles sold to LRCCD are exempt from certain Federal excise taxes. LRCCD will reimburse the CONTRACTOR for, or pay directly, all California State and local sales and use taxes applicable to this purchase.
11. EQUAL OPPORTUNITY EMPLOYER: The acceptance of this purchase order by a supplier of goods and services is a certification that such supplier complies with all provisions of executive order 11246 and is an equal opportunity employer.
12. GENERAL SAFETY ORDERS: All materials, supplies and services sold to LRCCD shall conform to the general safety orders of the State of California. All materials, except as otherwise specified, must be new and of the best quality of their respective kinds.
13. INDEMNIFICATION: CONTRACTOR shall indemnify, defend and hold harmless LRCCD, its trustees, officers, agents, employees and volunteers, from any and all claims, demands, suits, causes of action, damages, penalties, breaches of this agreement, infringement of patent rights, costs, expenses, violations of employee occupational health and safety laws, attorney fees, losses or liability, property damage, personal injuries to or death of persons, arising out of, alleged to have arisen out of, or relating in any way to CONTRACTOR's work to be performed under this agreement, except if caused solely by the negligence of LRCCD.
14. TERMINATION: LRCCD may terminate this agreement and be relieved of the payment of any consideration to CONTRACTOR should CONTRACTOR fail to perform the covenants herein contained at the time and in the manner herein provided. In the event of such termination LRCCD may proceed with the work in any manner deemed proper by LRCCD. The cost to LRCCD shall be deducted from any sum due the CONTRACTOR under this agreement and the balance if any, shall be paid the CONTRACTOR upon demand.
15. ASSIGNMENT: Without the written consent of LRCCD, this agreement is not assignable by CONTRACTOR either in whole or in part.
16. PUBLIC WORKS PROJECTS: CONTRACTOR must comply with Public Contract Code.
17. CA LABOR CODE: Pursuant to Section 1700, and following, the CONTRACTOR shall pay not less than the prevailing rate of per diem wages as determined by the Director of the California Department of Industrial Relations. Copies of such prevailing rate of per diem wages are on file at the Business Office of the Los Rios Community College District, 1919 Spanos Court, Sacramento, CA 95825. Those copies shall be made available to any interested party upon request. The CONTRACTOR shall forfeit, as penalty to the LRCCD, Fifty Dollars (\$50.00) for each calendar day or portion thereof, for each workman paid less than the stipulated prevailing rates for any work done under the contract by him/her or by any subcontractor under him, in violation of the provisions of such Labor Code.
18. NOTICE: Your employees may be exposed to hazardous substances during the course of their work while on LRCCD property. For additional information on the hazardous substances that your employees may be exposed to contact the LRCCD General Services Department at (916) 568-3048.
19. INSURANCE: CONTRACTOR shall, at all times, maintain in full force and effect the following insurance: Workers' Compensation, Commercial General Liability, Auto Liability, and Professional Liability if licensed professional. Policy limits for each shall be at least \$1,000,000 AND \$3,000,000 AGGREGATE for bodily injury, personal injury and property damage. Any combination of General Liability and Excess Coverage can be combined to meet the Aggregate. LRCCD shall be named as an additional insured on CONTRACTOR's policies. The CONTRACTOR shall provide a certificate of insurance and required endorsements to comply with this section at least 15 days prior to commencement of work under this contract. The certificate shall state that LRCCD will be given 30 days notice of any material change or cancellation in coverage.
20. DISQUALIFIED EMPLOYEES: CONTRACTOR shall ensure that persons who perform services on LRCCD property have not been convicted of any felony, or any controlled substance offense or any sex offense as those terms are defined by Education Code section 87008-87010. If LRCCD determines that any person employed by CONTRACTOR to work on LRCCD property is incompetent, unfaithful, intemperate, disorderly, abusive or is otherwise unsatisfactory, CONTRACTOR shall cause that employee to be removed from working on LRCCD property immediately, and that person shall not be employed again on LRCCD property.
21. WORK AUTHORIZATION: Prior to LRCCD's acceptance of this Agreement, CONTRACTORS who are not U.S. citizens must provide verification of (a) work authorization status from the appropriate U.S. Department of State; (b) a copy of their U.S. visa; (c) the number of days present in the U.S.; and (d) tax treaty status. LRCCD shall not make any payments to CONTRACTOR unless CONTRACTOR holds the appropriate U.S. visa. CONTRACTOR is responsible for ensuring they are in possession of the appropriate visa.
22. WARRANTY: CONTRACTOR expressly warrants that all materials, goods, equipment, services, and/or labor shall conform to the requirements set forth or incorporated into this order and any applicable industry standards or requirements, shall be merchantable and free from defects in workmanship, materials and/or design (including latent defects), and shall perform as specified. CONTRACTOR further warrants that all materials, goods, equipment, services, and/or labor will be fit and sufficient for the particular purposes intended by LRCCD. Unless agreed upon otherwise between LRCCD and CONTRACTOR, the warranty period shall be the longer of: (a) any express warranty included in this service agreement; (b) one year after the materials, goods, equipment, services, and/or labor are accepted by LRCCD; or (c) any warranty period provided under any applicable California law.

Requisition

Supplier CAMPBELL KELLER
3041 65TH ST STE 3
SACRAMENTO CA 95820
United States

Ship To: RECEIVING
10 COLLEGE PARKWAY
FOLSOM CA 95630-6798

| Business Unit: | COPFD | OPEN |
|---------------------|------------------|------|
| Req ID: | Date | Page |
| 0003005216 | 09/17/2015 | 1 |
| Requisition Name: | | |
| CAMPBELL KELLER | FL1-108 | |
| Requester | Bldg# | |
| Colleen Johnson | STUSVC | |
| Requester Signature | | |
| Buyer: | Suzanne Rouiller | |
| Approved: | | |

| Line-Schd | Description | Quantity | UOM | Price | Extended Amt | Due Date |
|---|----------------------------|----------|-----|-----------|--------------|------------|
| 1-1 | 10 WORK STATIONS | 1 | JOB | 28,572.88 | 28,572.88 | 10/01/2015 |
| ASSET DEPT: STUSVC LOCATION: 04ASPH108 CATEGORY: FURN 1 PROFILE: FURN | | | | | | |
| | Attn: Colleen Johnson | | | | | |
| 2-1 | ADDITIONAL FURNITURE | 1 | JOB | 19,252.18 | 19,252.18 | 10/01/2015 |
| ASSET DEPT: STUSVC LOCATION: 04ASPH108 CATEGORY: FURN 1 PROFILE: FURN | | | | | | |
| | Attn: COLLEEN JOHNSON | | | | | |
| 3-1 | SHIPPING - SMALL ORDER FEE | 1 | JOB | 43.83 | 43.83 | 10/01/2015 |
| ASSET DEPT: STUSVC LOCATION: 04ASPH108 CATEGORY: FURN 1 PROFILE: FURN | | | | | | |
| | Attn: COLLEEN JOHNSON | | | | | |
| 4-1 | CANCELLED LINE | 1 | JOB | 1.00 | 0.00 | CANCELED |
| ASSET DEPT: STUSVC LOCATION: 04ASPH108 CATEGORY: FURN 1 PROFILE: FURN | | | | | | |
| | Attn: COLLEEN JOHNSON | | | | | |

Total Requisition Amount: 47,868.89

PROPOSAL 103583

SALES TAX \$3,829.51
PURCHASE ORDER TOTAL \$51,698.40

| | | | | | | | |
|-------|------|----|------------|-------|-------|------|-----------|
| BU | Acct | Fd | Org | Prog | Sub | Proj | Amount |
| COPFD | 6490 | 41 | FL.VA.PROJ | 71000 | 00199 | 041A | 47,868.89 |

| Approval Signature | Approval Signature | Approval Signature |
|--------------------|--------------------|--------------------|
| | | |

Requisition

Supplier CAMPBELL KELLER
 3041 65TH ST STE 3
 SACRAMENTO CA 95820
 United States

Ship To: RECEIVING
 10 COLLEGE PARKWAY
 FOLSOM CA 95630-6798

| Business Unit: | COPFD | OPEN | |
|-------------------------|------------|------|--|
| Req ID: | Date | Page | |
| 0003005216 | 09/17/2015 | 2 | |
| Requisition Name: | | | |
| CAMPBELL KELLER | FL1-108 | | |
| Requester | Bldg# | | |
| Colleen Johnson | STUSVC | | |
| Requester Signature | | | |
| Buyer: Suzanne Rouiller | | | |
| Approved: | | | |

| Line-Schd | Description | Quantity | UOM | Price | Extended Amt | Due Date |
|-----------|-------------|----------|-----|-------|--------------|----------|
| | | | | | | |

Purchases Charged to Categorical Programs, Grants or Special Project.

This purchase is in compliance with the requirement of _____

For grants/special projects _____

Name: _____

Approval Signature

Approval Signature

Approval Signature



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

QTY PRODUCT DESCRIPTION SELL EXTENDED

MAKE PURCHASE ORDER OUT TO:

CAMPBELL KELLER
3041 65TH STREET
SUITE 3
SACRAMENTO, CA 95820SMALL BUSINESS
CERTIFICATION # 8541

| | | | | | |
|---|---|---------------------------------------|---|-------|--------|
| 1 | 2 | TK04224W R \$(COREP1) .P27 | STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 42 1/2HX24W Core Clr Opts CLR: Matte Black Tag(s): 2442F BASE FRAME | 74.74 | 149.48 |
| 2 | 2 | TKSK24 | TER 24W SEGMENT KIT Tag(s): 2442F | 5.18 | 10.36 |
| 3 | 2 | TKG42224 T \$(A) .SRT 929 | TER TACKABLE ACOUSTIC TILE 22.5H X 24W GRD A Fab FAB: Sarto Clr: Sisal Tag(s): 2442F FB1 | 29.97 | 59.94 |
| 4 | 2 | TKG41524 T \$(B) .TSN | TER TACKABLE ACOUSTIC TILE 15H X 24W GRD B FAB FAB: Tasanee CONTINUED... | 26.64 | 53.28 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|---|-----|---------------|---|-------|----------|
| | | 912 | Clr: Silk Tag(s): 2442F FB2 | | |
| 5 | 2 | TKG44224 T | TER TACKABLE ACOUSTIC TILE 42H 48.84 X 24W \$(B) .TSN 912 Tag(s): 2442F FB2 | 48.84 | 97.68 |
| 6 | 2 | TK324PT | TOP TRIM 24W \$(COREP1) Core Clr Opts .P27 CLR: Matte Black Tag(s): 2442F | 10.36 | 20.72 |
| 7 | 1 | TK04248W R | STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 42 1/2HX48W \$(COREP1) Core Clr Opts .P27 CLR: Matte Black Tag(s): 4842F BASE FRAME | 90.65 | 90.65 |
| 8 | 1 | TKSK48 | TER 48W SEGMENT KIT Tag(s): 4842F | 6.29 | 6.29 |
| 9 | 1 | TKG42248 T | TER TACKABLE ACOUSTIC TILE 22.5H X 48W \$(A) .SRT 929 Tag(s): 4842F FB1 | 44.03 | 44.03 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|------------|--------------------------------------|--------------------------|----------|
| 10 | 1 | TKG41548 | TER TACKABLE ACOUSTIC TILE 15H X 48W | 34.78 | 34.78 |
| | | T | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 4842F FB2 | |
| 11 | 1 | TKG44248 | TER TACKABLE ACOUSTIC TILE 42H X 48W | 72.52 | 72.52 |
| | | T | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 4842F FB2 | |
| 12 | 1 | TK348PT | TOP TRIM 48W | 19.24 | 19.24 |
| | | \$(COREP1) | Core Clr Opts | | |
| | | .P27 | CLR: Matte Black | | |
| | | | | Tag(s): 4842F | |
| 13 | 1 | TK06536W | STRUCTURAL RACEWAY PNL FR-NO | 94.35 | 94.35 |
| | | R | TOP TRIM 65HX36W | | |
| | | \$(COREP1) | Core Clr Opts | | |
| | | .P27 | CLR: Matte Black | | |
| | | | | Tag(s): 3665F BASE FRAME | |
| 14 | 1 | TKSK36 | TER 36W SEGMENT KIT | 5.55 | 5.55 |
| | | | Tag(s): 3665F | | |
| 15 | 1 | TKG44236 | TER TACKABLE ACOUSTIC TILE 42H X 36W | 52.17 | 52.17 |
| | | T | \$(A) | GRD A FAB | |
| | | | | CONTINUED... | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTINGFOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|-------------------------------------|---|--------|----------|
| | | .SRT 929 | FAB: SARTO CLR: SISAL Tag(s): 3665F FB1 | | |
| 16 | 1 | TKG42236 T | TER TACKABLE ACOUSTIC TILE 22.5H X 36W \$(B) .TSN 912 | 43.29 | 43.29 |
| | | | GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 3665F FB2 | | |
| 17 | 1 | TKG46536 T | TER TACKABLE ACOUSTIC TILE 65H X 36W \$(B) .TSN 912 | 92.13 | 92.13 |
| | | | GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 3665F FB2 | | |
| 18 | 1 | TK336PT \$(COREP1) .P27 | TOP TRIM 36W Core Clr Opts CLR: Matte Black Tag(s): 3665F | 14.80 | 14.80 |
| 19 | 1 | TK06548W R \$(COREP1) .P27 | STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX48W Core Clr Opts CLR: Matte Black Tag(s): 4865F BASE FRAME | 101.38 | 101.38 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTINGFOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|-------------|--|--------|----------|
| 20 | 1 | TKSK48 | TER 48W SEGMENT KIT | 6.29 | 6.29 |
| | | | Tag(s): 4865F | | |
| 21 | 1 | TKG44248 | TER TACKABLE ACOUSTIC TILE 42H 63.64 | 63.64 | 63.64 |
| | | T | X 48W | | |
| | | \$ (A) | GRD A FAB | | |
| | | .SRT | FAB: SARTO | | |
| | | 929 | CLR: SISAL | | |
| | | | Tag(s): 4865F FB1 | | |
| 22 | 1 | TKG42248 | TER TACKABLE ACOUSTIC TILE 22.5H X 48W | 50.32 | 50.32 |
| | | T | | | |
| | | \$ (B) | GRD B FAB | | |
| | | .TSN | FAB: TASANEE | | |
| | | 912 | CLR: SILK | | |
| | | | Tag(s): 4865F FB2 | | |
| 23 | 1 | TKG46548 | TER TACKABLE ACOUSTIC TILE 65H 110.26 | 110.26 | 110.26 |
| | | T | X 48W | | |
| | | \$ (B) | GRD B FAB | | |
| | | .TSN | FAB: TASANEE | | |
| | | 912 | CLR: SILK | | |
| | | | Tag(s): 4865F FB2 | | |
| 24 | 1 | TK348PT | TOP TRIM 48W | 19.24 | 19.24 |
| | | \$ (COREP1) | Core Clr Opts | | |
| | | .P27 | CLR: Matte Black | | |
| | | | Tag(s): 4865F | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|----------|---|-------|----------|
| 25 | 7 | TK06524W | STRUCTURAL RACEWAY PNL FR-NO R TOP TRIM 65HX24W \$(COREP1) Core Clr Opts .P27 CLR: Matte Black Tag(s): 2465F BASE FRAME | 88.43 | 619.01 |
| 26 | 7 | TKSK24 | TER 24W SEGMENT KIT Tag(s): 2465F | 5.18 | 36.26 |
| 27 | 7 | TKG44224 | TER TACKABLE ACOUSTIC TILE 42H T X 24W \$(A) GRD A FAB .SRT FAB: SARTO 929 CLR: SISAL Tag(s): 2465F FB1 | 41.81 | 292.67 |
| 28 | 7 | TKG42224 | TER TACKABLE ACOUSTIC TILE T 22.5H X 24W \$(B) GRD B FAB .TSN FAB: TASANEE 912 CLR: SILK Tag(s): 2465F FB2 | 33.67 | 235.69 |
| 29 | 7 | TKG46524 | TER TACKABLE ACOUSTIC TILE 65H T X 24W \$(B) GRD B FAB .TSN FAB: TASANEE 912 CLR: SILK Tag(s): 2465F FB2 | 73.26 | 512.82 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED | |
|----|-----|----------|--|---|----------|-------|
| 30 | 7 | TK324PT | TOP TRIM 24W \$(COREP1) .P27 | Core Clr Opts CLR: Matte Black Tag(s): 2465F | 10.36 | 72.52 |
| 31 | 1 | TK06530W | STRUCTURAL RACEWAY PNL FR-NO R \$(COREP1) .P27 | TOP TRIM 65HX30W Core Clr Opts CLR: Matte Black Tag(s): 3065F BASE FRAME | 91.02 | 91.02 |
| 32 | 1 | TKSK30 | TER 30W SEGMENT KIT Tag(s): 3065F | 5.18 | 5.18 | |
| 33 | 1 | TKG44230 | TER TACKABLE ACOUSTIC TILE 42H T X 30W \$(A) .SRT 929 | GRD A FAB FAB: SARTO CLR: SISAL Tag(s): 3065F FB1 | 47.73 | 47.73 |
| 34 | 1 | TKG42230 | TER TACKABLE ACOUSTIC TILE T 22.5H X 30W \$(B) .TSN 912 | GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 3065F FB2 | 37.00 | 37.00 |
| 35 | 1 | TKG46530 | TER TACKABLE ACOUSTIC TILE 65H T X 30W \$(B) | GRD B FAB CONTINUED... | 83.62 | 83.62 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|---------------------------------------|--|-------|----------|
| | | .TSN 912 | FAB: TASANEE CLR: SILK Tag(s): 3065F FB2 | | |
| 36 | 1 | TK330PT \$(COREP1) .P27 | TOP TRIM 30W Core Clr Opts CLR: Matte Black Tag(s): 3065F | 12.21 | 12.21 |
| 37 | 1 | TK06536W R \$(COREP1) .P27 | STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W Core Clr Opts CLR: Matte Black Tag(s): 3687FF BASE FRAME | 94.35 | 94.35 |
| 38 | 1 | TK02236 | TER STACKING PANEL FRAME 22.5HX36W Tag(s): 3687FF STACKING FRAME | 74.37 | 74.37 |
| 39 | 2 | TKSK36 | TER 36W SEGMENT KIT Tag(s): 3687FF | 5.55 | 11.10 |
| 40 | 1 | TKG46536 T \$(B) .TSN 912 | TER TACKABLE ACOUSTIC TILE 65H X 36W GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 3687FF FB2 | 92.13 | 92.13 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|------------|--|---------------------------|----------|
| 41 | 1 | TKG42236 | TER TACKABLE ACOUSTIC TILE 22.5H X 36W | 43.29 | 43.29 |
| | | T | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 3687FF FB2 | |
| 42 | 1 | TKG46536 | TER TACKABLE ACOUSTIC TILE 65H X 36W | 92.13 | 92.13 |
| | | T | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 3687FF FB2 | |
| 43 | 1 | TKG42236 | TER TACKABLE ACOUSTIC TILE 22.5H X 36W | 43.29 | 43.29 |
| | | T | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 3687FF FB2 | |
| 44 | 1 | TK336PT | TOP TRIM 36W | 14.80 | 14.80 |
| | | \$(COREP1) | Core Clr Opts | | |
| | | .P27 | CLR: Matte Black | | |
| | | | | Tag(s): 3687FF | |
| 45 | 5 | TK06548W | STRUCTURAL RACEWAY PNL FR-NO | 101.38 | 506.90 |
| | | R | TOP TRIM 65HX48W | | |
| | | \$(COREP1) | Core Clr Opts | | |
| | | .P27 | CLR: Matte Black | | |
| | | | | Tag(s): 4887FF BASE FRAME | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTINGFOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|--|-----|----------|--|-------|----------|
| 46 | 5 | TK02248 | TER STACKING PANEL FRAME 22.5HX48W | 79.18 | 395.90 |
| Tag(s): 4887FF STACKING FRAME | | | | | |
| 47 | 10 | TKSK48 | TER 48W SEGMENT KIT | 6.29 | 62.90 |
| Tag(s): 4887FF | | | | | |
| 48 | 5 | TKG46548 | TER TACKABLE ACOUSTIC TILE 65H 110.26 T X 48W \$(B) .TSN 912 | | 551.30 |
| GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 4887FF FB2 | | | | | |
| 49 | 5 | TKG42248 | TER TACKABLE ACOUSTIC TILE T 22.5H X 48W \$(B) .TSN 912 | 50.32 | 251.60 |
| GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 4887FF FB2 | | | | | |
| 50 | 5 | TKG46548 | TER TACKABLE ACOUSTIC TILE 65H 110.26 T X 48W \$(B) .TSN 912 | | 551.30 |
| GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 4887FF FB2 | | | | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|----------|--|---------------------------|----------|
| 51 | 5 | TKG42248 | TER TACKABLE ACOUSTIC TILE 22.5H X 48W | 50.32 | 251.60 |
| | | T | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: Tasanee | |
| | | | 912 | Clr: Silk | |
| | | | | Tag(s): 4887FF FB2 | |
| 52 | 5 | TK348PT | TOP TRIM 48W | 19.24 | 96.20 |
| | | | \$(COREP1) | Core Clr Opts | |
| | | | .P27 | CLR: Matte Black | |
| | | | | Tag(s): 4887FF | |
| 53 | 4 | TK06548W | STRUCTURAL RACEWAY PNL FR-NO | 101.38 | 405.52 |
| | | R | TOP TRIM 65HX48W | | |
| | | | \$(COREP1) | Core Clr Opts | |
| | | | .P27 | CLR: Matte Black | |
| | | | | Tag(s): 4865FF BASE FRAME | |
| 54 | 4 | TKG46548 | TER TACKABLE ACOUSTIC TILE 65H 110.26 | 441.04 | |
| | | T | X 48W | | |
| | | | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 4865FF FB2 | |
| 55 | 4 | TKG46548 | TER TACKABLE ACOUSTIC TILE 65H 110.26 | 441.04 | |
| | | T | X 48W | | |
| | | | \$(B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 4865FF FB2 | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTINGFOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED | |
|----|-----|----------|---------------------------------------|---|----------|--------|
| 56 | 4 | TK348PT | TOP TRIM 48W \$(COREP1) .P27 | Core Clr Opts CLR: Matte Black Tag(s): 4865FF | 19.24 | 76.96 |
| 57 | 3 | TK06548W | STRUCTURAL RACEWAY PNL FR-NO R | TOP TRIM 65HX48W \$(COREP1) .P27 | 101.38 | 304.14 |
| | | | | Core Clr Opts CLR: Matte Black Tag(s): 4887F BASE FRAME | | |
| 58 | 3 | TK02248 | TER STACKING PANEL FRAME 22.5HX48W | TER STACKING FRAME Tag(s): 4887F STACKING FRAME | 79.18 | 237.54 |
| 59 | 9 | TKSK48 | TER 48W SEGMENT KIT | 6.29 | 56.61 | |
| | | | Tag(s): 4887F | | | |
| 60 | 3 | TKG44248 | TER TACKABLE ACOUSTIC TILE 42H T | 63.64 | 190.92 | |
| | | | X 48W \$(A) .SRT 929 | GRD A FAB FAB: SARTO CLR: SISAL Tag(s): 4887F FB1 | | |
| 61 | 3 | TKG42248 | TER TACKABLE ACOUSTIC TILE T | 50.32 | 150.96 | |
| | | | 22.5H X 48W \$(B) .TSN 912 | GRD B FAB FAB: TASANEE CLR: SILK | | |
| | | | | CONTINUED... | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|--|-----|----------|--|-------|----------|
| Tag(s): 4887F FB2 | | | | | |
| 62 | 3 | TKG42248 | TER TACKABLE ACOUSTIC TILE 22.5H X 48W | 50.32 | 150.96 |
| T \$(B) .TSN 912 | | | | | |
| GRD B FAB FAB: TASANEE CLR: SILK | | | | | |
| Tag(s): 4887F FB2 | | | | | |
| 63 | 3 | TKG46548 | TER TACKABLE ACOUSTIC TILE 65H 110.26 X 48W | | 330.78 |
| T \$(B) .TSN 912 | | | | | |
| GRD B FAB FAB: TASANEE CLR: SILK | | | | | |
| Tag(s): 4887F FB2 | | | | | |
| 64 | 3 | TKG42248 | TER TACKABLE ACOUSTIC TILE 22.5H X 48W | 50.32 | 150.96 |
| T \$(B) .TSN 912 | | | | | |
| GRD B FAB FAB: TASANEE CLR: SILK | | | | | |
| Tag(s): 4887F FB2 | | | | | |
| 65 | 3 | TK348PT | TOP TRIM 48W | 19.24 | 57.72 |
| \$ (COREP1) .P27 | | | | | |
| Core Clr Opts CLR: Matte Black | | | | | |
| Tag(s): 4887F | | | | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|---------------|--|-------|----------|
| 66 | 1 | TK06536W R | STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W \$(COREP1) .P27 Core Clr Opts CLR: Matte Black Tag(s): 3687F BASE FRAME | 94.35 | 94.35 |
| 67 | 1 | TK02236 | TER STACKING PANEL FRAME 22.5HX36W Tag(s): 3687F STACKING FRAME | 74.37 | 74.37 |
| 68 | 3 | TKSK36 | TER 36W SEGMENT KIT Tag(s): 3687F | 5.55 | 16.65 |
| 69 | 1 | TKG44236 T | TER TACKABLE ACOUSTIC TILE 42H X 36W \$(A) .SRT GRD A FAB 929 FAB: SARTO CLR: SISAL Tag(s): 3687F FB1 | 52.17 | 52.17 |
| 70 | 1 | TKG42236 T | TER TACKABLE ACOUSTIC TILE 22.5H X 36W \$(B) .TSN GRD B FAB 912 FAB: TASANEE CLR: SILK Tag(s): 3687F FB2 | 43.29 | 43.29 |
| 71 | 1 | TKG42236 T | TER TACKABLE ACOUSTIC TILE 22.5H X 36W \$(B) GRD B FAB CONTINUED... | 43.29 | 43.29 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTINGFOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|-----------------------|---|-------|----------|
| | | .TSN 912 | FAB: TASANEE CLR: SILK Tag(s): 3687F FB2 | | |
| 72 | 1 | TKG46536 T | TER TACKABLE ACOUSTIC TILE 65H 92.13 X 36W \$(B) .TSN 912 | | 92.13 |
| | | | GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 3687F FB2 | | |
| 73 | 1 | TKG42236 T | TER TACKABLE ACOUSTIC TILE 43.29 22.5H X 36W \$(B) .TSN 912 | 43.29 | 43.29 |
| | | | GRD B FAB FAB: TASANEE CLR: SILK Tag(s): 3687F FB2 | | |
| 74 | 1 | TK336PT \$(COREP1) | TOP TRIM 36W 14.80 Core Clr Opts .P27 CLR: Matte Black Tag(s): 3687F | 14.80 | 14.80 |
| 75 | 1 | TK06542W R | STRUCTURAL RACEWAY PNL FR-NO 97.31 TOP TRIM 65HX42W \$(COREP1) .P27 Core Clr Opts CLR: Matte Black Tag(s): 4287F BASE FRAME | 97.31 | 97.31 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|------------------------------|-----|----------|---|-------------------|----------|
| 76 | 1 | TK02242 | TER STACKING PANEL FRAME 22.5HX42W | 76.96 | 76.96 |
| Tag(s): 4287F STACKING FRAME | | | | | |
| 77 | 3 | TKSK42 | TER 42W SEGMENT KIT | 5.92 | 17.76 |
| Tag(s): 4287F | | | | | |
| 78 | 1 | TKG44242 | TER TACKABLE ACOUSTIC TILE 42H X 42W | 58.09 | 58.09 |
| | | T | \$ (A) | GRD A FAB | |
| | | | .SRT | FAB: SARTO | |
| | | | 929 | CLR: SISAL | |
| | | | | Tag(s): 4287F FB1 | |
| 79 | 1 | TKG42242 | TER TACKABLE ACOUSTIC TILE 22.5H X 42W | 47.36 | 47.36 |
| | T | | \$ (B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 4287F FB2 | |
| 80 | 1 | TKG42242 | TER TACKABLE ACOUSTIC TILE 22.5H X 42W | 47.36 | 47.36 |
| | T | | \$ (B) | GRD B FAB | |
| | | | .TSN | FAB: TASANEE | |
| | | | 912 | CLR: SILK | |
| | | | | Tag(s): 4287F FB2 | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|-------------|---------------------------------------|-------|----------|
| 81 | 1 | TKG46542 | TER TACKABLE ACOUSTIC TILE 65H 102.86 | | 102.86 |
| | | T | X 42W | | |
| | | \$ (B) | GRD B FAB | | |
| | | .TSN | FAB: TASANEE | | |
| | | 912 | CLR: SILK | | |
| | | | Tag(s): 4287F FB2 | | |
| 82 | 1 | TKG42242 | TER TACKABLE ACOUSTIC TILE | 47.36 | 47.36 |
| | | T | 22.5H X 42W | | |
| | | \$ (B) | GRD B FAB | | |
| | | .TSN | FAB: TASANEE | | |
| | | 912 | CLR: SILK | | |
| | | | Tag(s): 4287F FB2 | | |
| 83 | 1 | TK342PT | TOP TRIM 42W | 17.39 | 17.39 |
| | | \$ (COREP1) | Core Clr Opts | | |
| | | .P27 | CLR: Matte Black | | |
| | | | Tag(s): 4287F | | |
| 84 | 2 | YWMTB36 | 23-1/2HX36W TACKBOARD FOR WALL 210.53 | | 421.06 |
| | | | MOUNT | | |
| | | \$ (A) | GRD A FAB | | |
| | | .REF | FAB: Reflections | | |
| | | 926 | Clr: Bamboo | | |
| 85 | 2 | YWMTB42 | 23-1/2HX42W TACKBOARD FOR WALL 214.60 | | 429.20 |
| | | | MOUNT | | |
| | | \$ (A) | GRD A FAB | | |
| | | .REF | FAB: Reflections | | |
| | | 926 | Clr: Bamboo | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|----------|--|--------|----------|
| 86 | 7 | YWMTB48 | 23-1/2HX48W TACKBOARD FOR WALL MOUNT | 216.82 | 1,517.74 |
| | | \$ (A) | GRD A FAB | | |
| | | .REF | FAB: Reflections | | |
| | | 926 | Clr: Bamboo | | |
| 87 | 2 | 899910 | DOOR LEVER BRUSHED ALUMINUM KEY | 103.97 | 207.94 |
| 88 | 4 | A870830 | TASKLIGHT W/ELEC BALLAST FOR 30W | 83.99 | 335.96 |
| | | .X | CLR: No Color Choice | | |
| 89 | 5 | A870842 | TASKLIGHT W/ELEC BALLAST FOR 42W | 90.65 | 453.25 |
| | | .X | CLR: No Color Choice | | |
| 90 | 2 | OH1536FD | 15H X36W FLIPPER DOOR OVERHEAD-NO PULL | 194.99 | 389.98 |
| | | .YZ | Sys:Stride-DNA-Optimize | | |
| | | \$(CORE) | Core Clr Opts | | |
| | | .P7C | CLR: Bungalow | | |
| | | .OMT | omt Core to Ord key Alike | | |
| 91 | 2 | OH1542FD | 15H X42W FLIPPER DOOR OVERHEAD-NO PULL | 204.24 | 408.48 |
| | | .YZ | Sys:Stride-DNA-Optimize | | |
| | | \$(CORE) | Core Clr Opts | | |
| | | .P7C | CLR: Bungalow | | |
| | | .OMT | omt Core to Ord key Alike | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----|-----|----------|--|--------|----------|
| 92 | 7 | OH1548FD | 15H X48W FLIPPER DOOR OVERHEAD-NO PULL .YZ \$(CORE) .P7C .OMT | 213.12 | 1,491.84 |
| | | | SYS:STRIDE-DNA-OPTIMIZE CORE CLR OPTS CLR: BUNGALOW OMT CORE TO ORD KEY ALIKE | | |
| 93 | 2 | TK18742D | TER LAMINATE PANEL DOOR 87.5HX42W \$(COREP1) .P27 .LWD | 960.89 | 1,921.78 |
| | | | Core Clr Opt CLR: Matte Black LAM: Natural Maple previouslyD | | |
| 94 | 1 | TK322L | L 90-DEGREE CONNECTOR KIT 22H \$(COREP1) .P27 | 36.63 | 36.63 |
| | | | Core Clr Opt CLR: Matte Black | | |
| 95 | 2 | TK322S | S EXT STRAIGHT CONNECTOR KIT 22H STCKG/SEGMNTD \$(COREP1) .P27 | 42.18 | 84.36 |
| | | | Core Clr Opt CLR: Matte Black | | |
| 96 | 2 | TK342E | E END TRIM CONNECTOR KIT 42H \$(COREP1) .P27 | 25.16 | 50.32 |
| | | | Core Clr Opt CLR: Matte Black | | |
| 97 | 2 | TK342L | L 90-DEGREE CONNECTOR KIT 42H \$(COREP1) .P27 | 45.88 | 91.76 |
| | | | Core Clr Opt CLR: Matte Black | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:


FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|---------|--|-------|----------|
| 98 | 8 | TK365E | E END TRIM CONNECTOR KIT 65H \$(COREP1) .P27 Core Clr Opts CLR: Matte Black | 29.97 | 239.76 |
| 99 | 1 | TK365L | L 90-DEGREE CONNECTOR KIT 65H \$(COREP1) .P27 Core Clr Opts CLR: Matte Black | 49.58 | 49.58 |
| 100 | 5 | TK365T | T 3-WAY CONNECTOR KIT 65H \$(COREP1) .P27 Core Clr Opts CLR: Matte Black | 49.58 | 247.90 |
| 101 | 3 | TK365W | W WALL MOUNT KIT 65L \$(COREP1) .P27 Core Clr Opts CLR: Matte Black | 51.80 | 155.40 |
| 102 | 2 | TK387L | L 90-DEGREE CONNECTOR KIT 87.5H \$(COREP1) .P27 Core Clr Opts CLR: Matte Black | 66.97 | 133.94 |
| 103 | 1 | TK387S | S EXTENDED STRAIGHT CONNECTOR KIT 87.5H \$(COREP1) .P27 Core Clr Opts CLR: Matte Black | 75.85 | 75.85 |
| 104 | 4 | TK387W | W WALL MOUNT KIT 87.5L \$(COREP1) .P27 Core Clr Opts CLR: Matte Black | 69.93 | 279.72 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|---|---|----------|----------|
| 105 | 4 | ALKF23C .X111E | CORE REMOVE LOCK KIT Key Number 111E | 6.29 | 25.16 |
| 106 | 3 | ALKF23C .X110E | CORE REMOVE LOCK KIT Key Number 110E | 6.29 | 18.87 |
| 107 | 3 | ALKF23C .X109E | CORE REMOVE LOCK KIT Key Number 109E | 6.29 | 18.87 |
| 108 | 4 | ALKF23C .X108E | CORE REMOVE LOCK KIT Key Number 108E | 6.29 | 25.16 |
| 109 | 4 | ALKF23C .X107E | CORE REMOVE LOCK KIT Key Number 107E | 6.29 | 25.16 |
| 110 | 3 | ALKF23C .X106E | CORE REMOVE LOCK KIT Key Number 106E | 6.29 | 18.87 |
| 111 | 3 | ALKF23C .X103E | CORE REMOVE LOCK KIT Key Number 103E | 6.29 | 18.87 |
| 112 | 3 | ALKF23C .X102E | CORE REMOVE LOCK KIT Key Number 102E | 6.29 | 18.87 |
| 113 | 3 | ALKF23C .X101E | CORE REMOVE LOCK KIT Key Number 101E | 6.29 | 18.87 |
| 114 | 10 | PM187-20 3A \$(CORE) .P7C .E4 | ESS MOBILE PED BBF 28H 19-7/8D 210.16 ARCH PULL Core Clr Opts CLR: Bungalow PULL: Black CONTINUED... | 2,101.60 | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|----------|---|--------|----------|
| | | .OMT | omt Core to Ord key Alike | | |
| 115 | 7 | CEP1129F | FREESTANDING 11DX29-1/2H END PNL SUP \$(COREPNT) Core Clr Opts .P7C CLR: Bungalow | 54.02 | 378.14 |
| 116 | 15 | CEP2429F | FREESTANDING 24DX29-1/2H END PNL SUP \$(COREPNT) Core Clr Opts .P7C CLR: Bungalow | 58.09 | 871.35 |
| 117 | 9 | CSL2429F | FREESTANDING 24DX29-1/2H SUP LEG \$(COREPNT) Core Clr Opts .P7C CLR: Bungalow | 50.32 | 452.88 |
| 118 | 2 | T52436S | PRIMARY 24DX36W FLAT EG LAM W/GROMMET \$(L1CORE) L1 Core Lam Opts .LT6A Lam: Camelstone .E4 Edg: Black .P Plastic Grommet | 101.75 | 203.50 |
| 119 | 2 | T52442S | PRIMARY 24DX42W FLAT EG LAM W/GROMMETS \$(L1CORE) L1 Core Lam Opts .LT6A Lam: Camelstone .E4 Edg: Black .P Plastic Grommet | 113.96 | 227.92 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|----------|---|--------|----------|
| 120 | 5 | T52448S | PRIMARY 24DX48W FLAT EG LAM W/GROMMETS \$(L1CORE) L1 Core Lam Opt .LT6A Lam: Camelstone .E4 Edg: Black .P Plastic Grommet | 123.58 | 617.90 |
| 121 | 1 | T52454S | PRIMARY 24DX54W FLAT EG LAM W/GROMMETS \$(L1CORE) L1 Core Lam Opt .LT6A Lam: Camelstone .E4 Edg: Black .P Plastic Grommet | 133.20 | 133.20 |
| 122 | 1 | T54722JL | JETTY 48X72 24L/30R LH FLAT EG 300.44 W/GROMMET \$(L1CORE) L1 Core Lam Opt .LT6A Lam: Camelstone .E4 Edg: Black .P Plastic Grommet | | 300.44 |
| 123 | 1 | T54722JR | JETTY 72X48 30L/24R RH FLAT EG 300.44 W/GROMMET \$(L1CORE) L1 Core Lam Opt .LT6A Lam: Camelstone .E4 Edg: Black .P Plastic Grommet | | 300.44 |
| 124 | 1 | T5822ER | CORNER COVE 36X60-24L/24R EXTD 196.47 RH FLAT W/GROM \$(L1CORE) L1 Core Lam Opt .LT6A Lam: Camelstone | | 196.47 |

CONTINUED...



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|------------|---|--------|----------|
| | | .E4 | Edg: Black | | |
| | | .P | Plastic Grommet | | |
| 125 | 3 | T5922ER | CORNER COVE 36X72-24L/24R EXTD RH FLAT W/GROM | 216.82 | 650.46 |
| | | \$(L1CORE) | L1 Core Lam Opts | | |
| | | .LT6A | Lam: Camelstone | | |
| | | .E4 | Edg: Black | | |
| | | .P | Plastic Grommet | | |
| 126 | 2 | T6BK | WORKSURFACE BRACKET KIT | 15.54 | 31.08 |
| | | \$(CORE) | Core Clr Opts | | |
| | | .P7C | CLR: Bungalow | | |
| 127 | 1 | T6CB12L | CANTILEVER BKT 12D LH TERRACE | 15.17 | 15.17 |
| | | \$(CORE) | Core Clr Opts | | |
| | | .P7C | CLR: Bungalow | | |
| 128 | 1 | T6CB12R | CANTILEVER BKT 12D RH TERRACE | 15.17 | 15.17 |
| | | \$(CORE) | Core Clr Opts | | |
| | | .P7C | CLR: Bungalow | | |
| 129 | 5 | TT629SC | SUP COLUMN 29-1/2HX3 DIA. | 54.76 | 273.80 |
| | | \$(COREP1) | Core Clr Opts | | |
| | | .P7C | CLR: Bungalow | | |
| 130 | 1 | 851548M | STRAIGHT 15DX48W CNTP FLAT EG | 102.12 | 102.12 |
| | | \$(L1CORE) | L1 Core Lam Opts | | |
| | | .LT6A | Lam: Camelstone | | |
| | | .E4 | Edg: Black | | |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|------------|---|--------|----------|
| 131 | 14 | CDG | GUSSETS (1 PR) \$(COREPNT) Core Clr Opts .P7C CLR: Bungalow | 38.11 | 533.54 |
| 132 | 1 | CS604 | HALF HGT 14HX60W MOD PNL \$(COREPNT) Core Clr Opts .P7C CLR: Bungalow | 57.35 | 57.35 |
| 133 | 3 | CS724 | HALF HGT 14HX72W MOD PNL \$(COREPNT) CORE CLR OPTS .P7C CLR: BUNGALOW | 59.20 | 177.60 |
| 134 | 11 | TWTH | HORIZONTAL WALL TRACK | 25.90 | 284.90 |
| 135 | 2 | SPLA-WSM G | SPECIAL SIZE 60", JETTY 60X48 30L/24R RH FLAT EG W/GROMMET .M299643 SPECIAL \$(L1CORE) L1 CORE LAM OPTS .LT6A LAM: CAMELSTONE .E4 EDG: BLACK .P PLASTIC GROMMET | 321.16 | 642.32 |
| 136 | 1 | SPLA-WSM G | SPECIAL SIZE 60", JETTY 48X60 24L/30R LH FLAT EG W/GROMMET .M310470 SPECIAL \$(L1CORE) L1 CORE LAM OPTS .LT6A LAM: CAMELSTONE .E4 EDG: BLACK .P PLASTIC GROMMET | 321.16 | 321.16 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|----------------------------|-----|----------|--|--------|-----------|
| SUBTOTAL - 10 WORKSTATIONS | | | | | 28,572.88 |
| 137 | 5 | EBC72 | ESS BOOKCASE 34-1/2WX12-5/8DX71H 5-SHELF \$(CORE) .P27 Core Clr Opts CLR: Matte Black | 289.71 | 1,448.55 |
| 138 | 5 | ELF342NA | ESS LAT 42W 39-1/8H 3-12" DRWS ARCH PULL \$(CORE) .P7C .E4 .OMT Core Clr Opts CLR: Bungalow PULL: Black omt Core to Ord key Alike | 476.93 | 2,384.65 |
| 139 | 4 | ELF830NA | ESS LAT 30W 28H 2-12" DRWS ARCH PULL \$(CORE) .P7C .E4 .OMT CORE CLR OPTS CLR: BUNGALOW PULL: BLACK OMT CORE TO ORD KEY ALIKE | 277.13 | 1,108.52 |
| 140 | 4 | L919491 | SINGLE RAIL HANGING FILE RACKS (PACK OF 4) | 13.32 | 53.28 |
| 141 | 15 | L919492 | DOUBLE RAIL HANGING FILE RACKS (PACK OF 2) | 13.32 | 199.80 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|------------|---|----------|----------|
| 142 | 4 | ABX34FGE | X BASE LARGE, FIXED HGT W/GLIDES,POWERED \$(CORE) .P7C Core Clr Opts CLR: Bungalow | 202.02 | 808.08 |
| 143 | 4 | ALM48RND | 48" DIA RND TOP,LAM,FLAT EDG,TECH CAD CTR \$(L1CORE) .LT6A L1 Core Lam Opts Lam: Camelstone .E4 Edg: Black .EL Clr: Matte Silver | 372.22 | 1,488.88 |
| 144 | 2 | AF5RS482 | 48WX24D RECT LAM FLAT EDGE SINGLE SURFACE \$(L1CORE) L1 Core Lam Opts .LT6A Lam: Camelstone .E4 Edg: Black .GC Center Grommet P Plastic Grommet | 128.39 | 256.78 |
| 145 | 2 | ATB2S24 | RECTANGLE 24D 2 STAGE BASE DISC12/31/15 .P27 Clr: Black | 1,094.46 | 2,188.92 |
| 146 | 9 | 3170-22TG | WORKRITE 22" ADJ KEYBD ARM | 140.56 | 1,265.04 |
| 147 | 9 | 3170-P2NPT | WORKRITE POSITIVE LOCKOUT KIT | 4.48 | 40.32 |



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

INSTALL AT:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTINGFOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|-----|-----|--------------------|--|--------|----------|
| 148 | 9 | UB-317RL-25 | WORKRITE CORNER KEYBD PLATFORM | 119.84 | 1,078.56 |
| 149 | 10 | 1935-B-2 5-33 | RFM-ECHELON, HI BACK, ADJ ARMS, SEAT SLIDER, BLACK MESH BACK, BLACK BASE, STD CASTERS FOUNDATION 10 FABRIC SEAT MERLOT 350-008 COLOR | 360.08 | 3,600.80 |
| 151 | 5 | MF2 2 B 1 1 B 12 - | MFLEX FOR M2 ARMS Bracket for 2 Monitors Black with Black Trim Fixed Angled Link/Dynamic Link Fixed Angled Link/Dynamic Link Bolt-Thru Mount 12"H Post (Single Row Only) Std 100mm x 100mm(also used for 75mm x 75mm) | 666.00 | 3,330.00 |
| 151 | 1 | SHIPPING | SMALL ORDER FEE | 43.83 | 43.83 |
| 152 | 1 | ASSEMBLY | ASSEMBLY AND RELATED SERVICES FOR: FOLSOM LAKE COLLEGE - ROOM 108 | 0.00 | 0.00 |

PREVAILING WAGE, REGULAR HOURS

AREA MUST BE FREE AND CLEAR
PRIOR TO SCHEDULED
INSTALLATION DATE



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 103583

DATE 09/03/15

PROJECT #705-5

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS COURT
SACRAMENTO, CA 95825-3981
ATTN: ACCOUNTING

INSTALL AT:

FOLSOM LAKE COLLEGE
FL1 ROOM 108
LOS RIOS COMMUNITY COLLEGE DIS
10 COLLEGE PARKWAY
FOLSOM CA 95630

SALESPERSON:
LOS RIOS

CUSTOMER P/O:

QUOTE VALID

| # | QTY | PRODUCT | DESCRIPTION | SELL | EXTENDED |
|---|-----|---------|-------------|------|----------|
|---|-----|---------|-------------|------|----------|

If wall track is included on proposal, client assumes responsibility
for costs due to electrical and/or plumbing within walls.

PRODUCT TOTAL..: 47,825.06

S&H.....: 43.83

ACCEPTED BY_____

SALES TAX.....: 3,829.51

DATE ACCEPTED_____

TOTAL.....: 51,698.40