

Los Rios Community College District

PURCHASE ORDER NO 0001119145

Purchasing: (916)568-3071
LRCCDpurchase@losrios.edu

Accounting Ops: (916)568-3065 * FAX (916) 286-3636
Acctg-ops@losrios.edu

PLEASE SEE TERMS AND CONDITIONS APPENDED TO THIS PO

Supplier: 0000036040
CAMPBELL KELLER
3041 65TH ST STE 3
SACRAMENTO CA 95820

Phone: (916) 737-3300

email: Inquiries@campbellkeller.com

Date	Revision	Page
12/17/2021		1
Payment Terms	Freight Terms	Ship Via
NET 30	Shipping Point	Best Method
Reference:	Location / Dept	
1033901 MESAC ROUILLERS	04FALR221	

Ship To: FOLSOM LAKE COLLEGE
RECEIVING
10 COLLEGE PARKWAY
FOLSOM CA 95630-6798
United States

Bill To: LRCCD
Invoice to: acctg-ops@losrios.edu
1919 Spanos Court
Sacramento CA 95825-3981
United States

Tax Exempt? N

Line-Sch	Item/Description	Quantity UOM	PO Price	Extended Amt	Due Date
1- 1 REC-2855	OFFICE FURNITURE FOR FALCON'S ROOST / CTC DEPT PER PROPOSAL# 113628D	1.00 LOT	54,419.62	54,419.62	01/10/20
2- 1 REC	DESIGN	1.00 EA	2,250.00	2,250.00	01/10/20

PER PROPOSAL# 113628D

PROJECT# 605-335

LRCCD BID# 19017

FLC RECEIVING HOURS: M-F, 7:30AM - 4PM

DELIVERIES WILL NOT BE ACCEPTED FROM DEC 24, 2021 - JAN 4, 2022.

DIR PROJECT ID# 399045

The services offered under this purchase order are subject to prevailing wages. The District has filed form PWC-100 with the Department of Industrial Relations pursuant to Labor Code section 1725.5. Visit DIR website to learn contractor reporting requirements.

All shipments, invoices, and correspondence must be identified with our Purchase Order Number. Overshipments will not be accepted unless authorized by Buyer prior to shipment.

Authorized Signature
AUTHORIZED SIGNATURE ON
PO TOTAL PAGE

Notice to vendor: You are responsible for delivering good and delivery documents to the Receiving Department at the site. Failure to so do will delay payment processing. Vendor is responsible for obtaining verification of delivery by authorized Receiving Room personnel. Receipt of good by other parties and failure to obtain authorized signatures may also delay payment. NOTE: PAYMENT TERMS NET 30
MATERIAL SAFETY DATA SHEETS (MSDS) must be provided with the delivery of product as required by law.

Los Rios Community College District

PURCHASE ORDER NO 0001119145

Purchasing: (916)568-3071
LRCCDPurchase@losrios.edu

Accounting Ops: (916)568-3065 * FAX (916) 286-3636
Acctg-ops@losrios.edu

PLEASE SEE TERMS AND CONDITIONS APPENDED TO THIS PO

Supplier: 0000036040
CAMPBELL KELLER
3041 65TH ST STE 3
SACRAMENTO CA 95820

Phone: (916) 737-3300

email: Inquiries@campbellkeller.com

Date 12/17/2021	Revision	Page 2
Payment Terms NET 30	Freight Terms Shipping Point	Ship Via Best Method
Reference: 1033901 MESAC ROUILLERS	Location / Dept 04FALR221	

Ship To: FOLSOM LAKE COLLEGE
RECEIVING
10 COLLEGE PARKWAY
FOLSOM CA 95630-6798
United States

Bill To: LRCCD
Invoice to: acctg-ops@losrios.edu
1919 Spanos Court
Sacramento CA 95825-3981
United States

Tax Exempt? N

Line-Sch	Item/Description	Quantity	UOM	PO Price	Extended Amt	Due Date
----------	------------------	----------	-----	----------	--------------	----------

PER PO TERMS AND CONDITIONS ITEM #19 CONTRACTOR IS TO PROVIDE PROOF OF INSURANCE CERTIFICATES LISTING LRCCD AS ADDITIONALLY INSURED. HOLDER IS LRCCD, 1919 SPANOS CT., SACRAMENTO, CA 95825. EMAIL TO LRCCDPURCHASE@LOSRIOS.EDU. NO HARD COPY IS REQUIRED.

Sub Total Amount	56,669.62
Sales Tax Amount	4,217.52
Total PO Amount	60,887.14

<u>BU</u>	<u>Acct</u>	<u>Fd</u>	<u>Org</u>	<u>Prog</u>	<u>Sub</u>	<u>Proj</u>	<u>Amount</u>	<u>BYear</u>
GENFD	4500	12	FL.VI.SWPA	63400	00000	485Y	16,887.14	2022
GENFD	4500	12	FL.VS.SEAP	63400	00000	570B	44,000.00	2022

0001033901CHAVEZA15-DEC-2021

Verification of this purchase order can be made using the Los Rios Community College District web site listed below. If you have any questions, please contact the Purchasing Office at email address: LRCCDPurchase@losrios.com.

<https://psreports.losrios.edu/PurchaseOrderInformation.asp>

All shipments, invoices, and correspondence must be identified with our Purchase Order Number. Overshipments will not be accepted unless authorized by Buyer prior to shipment.

Authorized Signature

Notice to vendor: You are responsible for delivering good and delivery documents to the Receiving Department at the site. Failure to so do will delay payment processing. Vendor is responsible for obtaining verification of delivery by authorized Receiving Room personnel. Receipt of good by other parties and failure to obtain authorized signatures may also delay payment. NOTE: PAYMENT TERMS NET 30
MATERIAL SAFETY DATA SHEETS (MSDS) must be provided with the delivery of product as required by law.

Requisition

Supplier: CAMPBELL KELLER
3041 65TH ST STE 3
SACRAMENTO CA 95820
United States

0000036040

email: Inquiries@campbellkeller.com

Ship To: RECEIVING
10 COLLEGE PARKWAY
FOLSOM CA 95630-6798

Business Unit:		GENFD	OPEN
Req ID:	Date	Page	
0001033901	12/10/2021	1	
Requisition Name:			
Campbell Keller-CTC Furniture			
Requester			
Colleen Mesa			
Requester Signature			
Buyer: Brenda Haney			
Approved:			
Entered By: MESAC 10-DEC-2021			

Line-Schd	Description	Quantity	UOM	Price	Extended Amt	Due Date
1-1	FURNITURE FOR PROJECT #605-335 FOR FALCON ROOST/CTC DEPT REMODEL	1	LOT	54,419.62	54,419.62	
2-1	DESIGN SERVICES	1	JOB	2,250.00	2,250.00	
					56,669.62	Sub-total
					4,217.52	Est. tax
Total Requisition Amount:					60,887.14	


Campbell Keller Quote proposal 113628D quote dtd 11/23/2021 for project #605-335 by Suzanne Kay

BU	Acct	Fd	Org	Prog	Sub	Proj	Amount
GENFD	4500	12	FL.VI.SWPA	63400	00000	485Y	12,669.62
GENFD	4500	12	FL.VS.SEAP	63400	00000	570B	44,000.00

Purchases Charged to Catagorical Programs, Grants or Special Project.

Program Name: SWP local Career Transfer Center and SEAP
Project Grant: 485Y / 570B
Program Director: Victoria Maryatt / Molly Senecal
Program Goal: other develop robust CTC space and services; SSM transfer, workforce and equity

Approval Signature	Approval Signature	Approval Signature
--------------------	--------------------	--------------------



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
---	-----	---------	-------------	------	----------


PLEASE REVIEW THIS QUOTE CAREFULLY BEFORE SIGNING

MAKE PURCHASE ORDER OUT TO:

CAMPBELL KELLER
3041 65TH STREET
SUITE 3
SACRAMENTO, CA 95820

SMALL BUSINESS
CERTIFICATION # 8541

1	2	PAK	PANEL ACCESS KITS	98.00	196.00
-- OFFICES --					
2	1	CMT24 \$(P1) .P28	CABLE MGMT KIT 24W P1 Paint Opts CLR: Fossil	34.20	34.20
3	1	A2280-00 0 .P	SLIDING CONV TRAY FOR BOX DRWS CLR: Black Tag 1: RM 246	13.68	13.68
4	3	ALKF23C .X106E	CORE REMOVE LOCK KIT Key Number 106E	8.28	24.84
5	1	AM387-20 3B \$(P1) .P28 .OMT	BASIC MOBILE PED BBF 28H 19-7/8D BEV PULL P1 Paint Opts Fossil omt Core to Ord key Alike	307.08	307.08



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay

PROPOSAL FOR:


LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
6	1	AM388-20 2B \$(P1) .P28 .OMT	BASIC MOBILE PED FF 28H 19-7/8D BEV PULL P1 Paint Opts Fossil omt Core to Ord key Alike	307.08	307.08
7	1	AP519495 .X	ESSDBL RAILHANGINGFILERACK (SIDE-TO-SIDE FILING) CLR: No Color Choice Tag 1: RM 246	11.16	11.16
8	1	APFB80 .X	ESS FOLLOWER BLOCK - 1 PACK CLR: No Color Choice Tag 1: RM 246	14.40	14.40
9	1	ASISLABE L5	MAGNETIC LABEL HOLDER (5-PACK)	10.08	10.08
10	1	ELF836NB \$(P1) .P28 .OMT	ESS LAT 36W 28H 2-12" DRWS BEV PULL P1 Paint Opts Fossil omt Core to Ord key Alike	464.40	464.40
11	1	ISLAUTNP NB3618S1 \$(L1CORE) .LAHP .E4	STOR ISLA TOP 36WX18D S1 Non-FSC Wood L1 Core Lam Opts Handspun Pearl Edg: Black	141.33	141.33
12	2	L919492	DOUBLE RAIL HANGING FILE RACKS(PACK OF 2)	18.72	37.44
13	1	PD80	ESS DIVIDER FOR BOX DRAWER - PKG OF 2	11.88	11.88

CONTINUED...



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
			Tag 1: RM 246		
14	1	CDG \$(P1) .P28	GUSSETS (1 PR) P1 Paint Opts Fossil	52.20	52.20
15	3	CEP2429F \$(P1) .P28	FREESTANDING 24DX29-1/2H END PNL SUP P1 Paint Opts Fossil	80.28	240.84
16	1	CS604 \$(P1) .P28	HALF HGT 14HX60W MOD PNL P1 Paint Opts Fossil	79.56	79.56
17	1	CSL2429F \$(P1) .P28	FREESTANDING 24DX29-1/2H SUP LEG P1 Paint Opts Fossil	69.48	69.48
18	1	T52460S \$(L1CORE) .LAHP .E4 .P	PRIMARY 24DX60W FLAT EG LAM W/GROMMETS L1 Core Lam Opts Handspun Pearl Edg: Black Plastic Grommet	212.40	212.40
19	1	1535-B-2 5A FINISHES * *	RFM, EVOLVE, HI-BACK TASK CHAIR, WITH SEAT SLIDE, 25A ADJ ARMS, MESH BACK BACK:CHARCOAL MESH SEAT:INSIGHT, EBONY STD CASTERS	466.20	466.20



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
-- WORKSTATIONS --					
20	4	TK05024W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 50HX24W P1 Paint Opts Fossil Tag 1: 2450FG	115.92	463.68
21	8	TKSK24	TER 24W SEGMENT KIT Tag 1: 2450FG	8.64	69.12
22	4	TK41524G K \$(P1) .P28 .C	TER GLAZED TILE KIT 15H X 24W P1 Paint Opts Fossil Clear Glass Tag 1: 2450FG	205.92	823.68
23	4	TKG43024 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 30H X 24W GRD A FAB FAB: Binary Diamond Tag 1: 2450FG	42.84	171.36
24	4	TKG43024 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 30H X 24W GRD A FAB FAB: Binary Diamond Tag 1: 2450FG	42.84	171.36
25	4	TK324PT \$(P1) .P28	RADIUS TOP TRIM 24W P1 Paint Opts Fossil Tag 1: 2450FG	15.48	61.92



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
26	5	TK06524W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX24W P1 Paint Opts Fossil Tag 1: 2465S2	125.64	628.20
27	10	TKSK24	TER 24W SEGMENT KIT Tag 1: 2465S2	8.64	86.40
28	5	TKG45024 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 24W GRD A FAB FAB: Binary Diamond Tag 1: 2465S2	63.72	318.60
29	5	TKG41524 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 24W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 2465S2	34.20	171.00
30	5	TKG41524 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 24W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 2465S2	34.20	171.00
31	5	TKG45024 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 24W GRD A FAB FAB: Binary Diamond Tag 1: 2465S2 CONTINUED...	63.72	318.60



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
32	5	TK324PT \$(P1) .P28	RADIUS TOP TRIM 24W P1 Paint Opts Fossil Tag 1: 2465S2	15.48	77.40
33	1	TK06524W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX24W P1 Paint Opts Fossil Tag 1: 2487F2	125.64	125.64
34	1	TK02224	TER STACKING PANEL FRAME 22.5HX24W Tag 1: 2487F2	100.80	100.80
35	4	TKSK24	TER 24W SEGMENT KIT Tag 1: 2487F2	8.64	34.56
36	1	TKG41524 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 24W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 2487F2	34.20	34.20
37	1	TKG42224 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 22.5H X 24W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 2487F2	43.56	43.56



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
38	1	TKG42224 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 22.5H X 24W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 2487F2	43.56	43.56
39	1	TKG41524 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 24W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 2487F2	34.20	34.20
40	1	TKG45024 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 24W GRD A FAB FAB: Binary Diamond Tag 1: 2487F2	63.72	63.72
41	1	TKG45024 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 24W GRD A FAB FAB: Binary Diamond Tag 1: 2487F2	63.72	63.72
42	1	TK324PT \$(P1) .P28	RADIUS TOP TRIM 24W P1 Paint Opts Fossil Tag 1: 2487F2	15.48	15.48
43	2	TK06524W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX24W P1 Paint Opts Fossil CONTINUED...	125.64	251.28



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
			Tag 1: 2487GS2		
44	2	TK02224	TER STACKING PANEL FRAME 22.5HX24W	100.80	201.60
			Tag 1: 2487GS2		
45	8	TKSK24	TER 24W SEGMENT KIT	8.64	69.12
			Tag 1: 2487GS2		
46	2	TKG45024 T	TER TACKABLE ACOUSTIC TILE 50H X 24W	63.72	127.44
		\$ (A)	GRD A FAB		
		.BNRY	FAB: Binary		
		03	Diamond		
			Tag 1: 2487GS2		
47	2	TKG41524 T	TER TACKABLE ACOUSTIC TILE 15H X 24W	34.20	68.40
		\$ (B)	GRD B FAB		
		.MCA	FAB: Mica		
		915	Clr: Mineral		
			Tag 1: 2487GS2		
48	2	TK42224G K	TER GLAZED TILE KIT 22.5H X 24W	240.84	481.68
		\$ (P1)	P1 Paint Opts		
		.P28	Fossil		
		.C	Clear Glass		
			Tag 1: 2487GS2		
49	2	TKG45024 T	TER TACKABLE ACOUSTIC TILE 50H X 24W	63.72	127.44
		\$ (A)	GRD A FAB		
			CONTINUED...		



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.BNRY 03	FAB: Binary Diamond Tag 1: 2487GS2		
50	2	TKG41524 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 24W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 2487GS2	34.20	68.40
51	2	TK324PT \$(P1) .P28	RADIUS TOP TRIM 24W P1 Paint Opts Fossil Tag 1: 2487GS2	15.48	30.96
52	5	TK05030W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 50HX30W P1 Paint Opts Fossil Tag 1: 3050FG	123.12	615.60
53	10	TKSK30	TER 30W SEGMENT KIT Tag 1: 3050FG	8.64	86.40
54	5	TK41530G K \$(P1) .P28 .C	TER GLAZED TILE KIT 15H X 30W P1 Paint Opts Fossil Clear Glass Tag 1: 3050FG	218.52	1,092.60
55	5	TKG43030 T \$(A) .BNRY	TER TACKABLE ACOUSTIC TILE 30H X 30W GRD A FAB FAB: Binary CONTINUED...	46.08	230.40



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		03	Diamond Tag 1: 3050FG		
56	5	TKG43030 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 30H X 30W GRD A FAB FAB: Binary Diamond Tag 1: 3050FG	46.08	230.40
57	5	TK330PT \$(P1) .P28	RADIUS TOP TRIM 30W P1 Paint Opts Fossil Tag 1: 3050FG	18.36	91.80
58	1	TK05036W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 50HX36W P1 Paint Opts Fossil Tag 1: 3650M	125.64	125.64
59	1	TKG45036 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 36W GRD A FAB FAB: Binary Diamond Tag 1: 3650M	85.32	85.32
60	1	TKG45036 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 36W GRD A FAB FAB: Binary Diamond Tag 1: 3650M	85.32	85.32



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
61	1	TK336PT \$(P1) .P28	RADIUS TOP TRIM 36W P1 Paint Opts Fossil Tag 1: 3650M	21.96	21.96
62	2	TK06536W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W P1 Paint Opts Fossil Tag 1: 3687GS2	134.64	269.28
63	2	TK02236	TER STACKING PANEL FRAME 22.5HX36W Tag 1: 3687GS2	105.12	210.24
64	8	TKSK36	TER 36W SEGMENT KIT Tag 1: 3687GS2	9.00	72.00
65	2	TKG45036 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 36W GRD A FAB FAB: Binary Diamond Tag 1: 3687GS2	85.32	170.64
66	2	TKG41536 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 36W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 3687GS2	39.96	79.92
67	2	TK42236G K \$(P1)	TER GLAZED TILE KIT 22.5H X 36W P1 Paint Opts CONTINUED...	266.40	532.80



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay

PROPOSAL FOR:


LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.P28	Fossil		
		.C	Clear Glass		
			Tag 1: 3687GS2		
68	2	TKG45036 T	TER TACKABLE ACOUSTIC TILE 50H X 36W	85.32	170.64
		\$(A)	GRD A FAB		
		.BNRY	FAB: Binary		
		03	Diamond		
			Tag 1: 3687GS2		
69	2	TKG41536 T	TER TACKABLE ACOUSTIC TILE 15H X 36W	39.96	79.92
		\$(B)	GRD B FAB		
		.MCA	FAB: Mica		
		915	Clr: Mineral		
			Tag 1: 3687GS2		
70	2	TK336PT	RADIUS TOP TRIM 36W	21.96	43.92
		\$(P1)	P1 Paint Opts		
		.P28	Fossil		
			Tag 1: 3687GS2		
71	7	TK06536W R	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W	134.64	942.48
		\$(P1)	P1 Paint Opts		
		.P28	Fossil		
			Tag 1: 3665S2		
72	14	TKSK36	TER 36W SEGMENT KIT	9.00	126.00
			Tag 1: 3665S2		
73	7	TKG45036 T	TER TACKABLE ACOUSTIC TILE 50H X 36W	85.32	597.24
		\$(A)	GRD A FAB		

CONTINUED...



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.BNRY 03	FAB: Binary Diamond Tag 1: 3665S2		
74	7	TKG41536 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 36W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 3665S2	39.96	279.72
75	7	TKG41536 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 36W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 3665S2	39.96	279.72
76	7	TKG45036 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 36W GRD A FAB FAB: Binary Diamond Tag 1: 3665S2	85.32	597.24
77	7	TK336PT \$(P1) .P28	RADIUS TOP TRIM 36W P1 Paint Opts Fossil Tag 1: 3665S2	21.96	153.72
78	2	TK06536W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W P1 Paint Opts Fossil Tag 1: 3687F2	134.64	269.28



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
79	2	TK02236	TER STACKING PANEL FRAME 22.5HX36W Tag 1: 3687F2	105.12	210.24
80	8	TKSK36	TER 36W SEGMENT KIT Tag 1: 3687F2	9.00	72.00
81	2	TKG41536 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 36W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 3687F2	39.96	79.92
82	2	TKG42236 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 22.5H X 36W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 3687F2	54.72	109.44
83	2	TKG42236 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 22.5H X 36W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 3687F2	54.72	109.44
84	2	TKG41536 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 36W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 3687F2	39.96	79.92



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
85	2	TKG45036 T \$ (A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 36W GRD A FAB FAB: Binary Diamond Tag 1: 3687F2	85.32	170.64
86	2	TKG45036 T \$ (A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 36W GRD A FAB FAB: Binary Diamond Tag 1: 3687F2	85.32	170.64
87	2	TK336PT \$ (P1) .P28	RADIUS TOP TRIM 36W P1 Paint Opts Fossil Tag 1: 3687F2	21.96	43.92
88	2	TK06536W R \$ (P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX36W P1 Paint Opts Fossil Tag 1: 3687G2-F	134.64	269.28
89	2	TK02236	TER STACKING PANEL FRAME 22.5HX36W Tag 1: 3687G2-F	105.12	210.24
90	8	TKSK36	TER 36W SEGMENT KIT Tag 1: 3687G2-F	9.00	72.00
91	2	TKG44236 T \$ (A)	TER TACKABLE ACOUSTIC TILE 42H X 36W GRD A FAB CONTINUED...	70.20	140.40



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.BNRY 03	FAB: Binary Diamond Tag 1: 3687G2-F		
92	2	TK42236G K \$(P1) .P28 .C	TER GLAZED TILE KIT 22.5H X 36W P1 Paint Opts Fossil Clear Glass Tag 1: 3687G2-F	266.40	532.80
93	2	TKG44236 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 42H X 36W GRD A FAB FAB: Binary Diamond Tag 1: 3687G2-F	70.20	140.40
94	2	TK42236G K \$(P1) .P28 .C	TER GLAZED TILE KIT 22.5H X 36W P1 Paint Opts Fossil Clear Glass Tag 1: 3687G2-F	266.40	532.80
95	2	TK336PT \$(P1) .P28	RADIUS TOP TRIM 36W P1 Paint Opts Fossil Tag 1: 3687G2-F	21.96	43.92
96	5	TK05042W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 50HX42W P1 Paint Opts Fossil Tag 1: 4250FG	130.32	651.60



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
97	10	TKSK42	TER 42W SEGMENT KIT Tag 1: 4250FG	9.72	97.20
98	5	TK41542G K \$(P1) .P28 .C	TER GLAZED TILE KIT 15H X 42W P1 Paint Opts Fossil Clear Glass Tag 1: 4250FG	247.32	1,236.60
99	5	TKG43042 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 30H X 42W GRD A FAB FAB: Binary Diamond Tag 1: 4250FG	59.40	297.00
100	5	TKG43042 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 30H X 42W GRD A FAB FAB: Binary Diamond Tag 1: 4250FG	59.40	297.00
101	5	TK342PT \$(P1) .P28	RADIUS TOP TRIM 42W P1 Paint Opts Fossil Tag 1: 4250FG	26.28	131.40
102	4	TK06542W R \$(P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX42W P1 Paint Opts Fossil Tag 1: 4287F2	138.60	554.40



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
103	4	TK02242	TER STACKING PANEL FRAME 22.5HX42W Tag 1: 4287F2	108.72	434.88
104	16	TKSK42	TER 42W SEGMENT KIT Tag 1: 4287F2	9.72	155.52
105	4	TKG41542 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 42W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 4287F2	43.56	174.24
106	4	TKG42242 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 22.5H X 42W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 4287F2	60.48	241.92
107	4	TKG42242 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 22.5H X 42W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 4287F2	60.48	241.92
108	4	TKG41542 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 42W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 4287F2	43.56	174.24



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
109	4	TKG45042 T \$ (A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 42W GRD A FAB FAB: Binary Diamond Tag 1: 4287F2	95.40	381.60
110	4	TKG45042 T \$ (A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 42W GRD A FAB FAB: Binary Diamond Tag 1: 4287F2	95.40	381.60
111	4	TK342PT \$ (P1) .P28	RADIUS TOP TRIM 42W P1 Paint Opts Fossil Tag 1: 4287F2	26.28	105.12
112	2	TK06542W R \$ (P1) .P28	STRUCTURAL RACEWAY PNL FR-NO TOP TRIM 65HX42W P1 Paint Opts Fossil Tag 1: 4287GS2	138.60	277.20
113	2	TK02242	TER STACKING PANEL FRAME 22.5HX42W Tag 1: 4287GS2	108.72	217.44
114	8	TKSK42	TER 42W SEGMENT KIT Tag 1: 4287GS2	9.72	77.76
115	2	TKG45042 T \$ (A)	TER TACKABLE ACOUSTIC TILE 50H X 42W GRD A FAB CONTINUED...	95.40	190.80



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.BNRY 03	FAB: Binary Diamond Tag 1: 4287GS2		
116	2	TKG41542 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 42W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 4287GS2	43.56	87.12
117	2	TK42242G K \$(P1) .P28 .C	TER GLAZED TILE KIT 22.5H X 42W P1 Paint Opts Fossil Clear Glass Tag 1: 4287GS2	282.24	564.48
118	2	TKG45042 T \$(A) .BNRY 03	TER TACKABLE ACOUSTIC TILE 50H X 42W GRD A FAB FAB: Binary Diamond Tag 1: 4287GS2	95.40	190.80
119	2	TKG41542 T \$(B) .MCA 915	TER TACKABLE ACOUSTIC TILE 15H X 42W GRD B FAB FAB: Mica Clr: Mineral Tag 1: 4287GS2	43.56	87.12
120	2	TK342PT \$(P1) .P28	RADIUS TOP TRIM 42W P1 Paint Opts Fossil Tag 1: 4287GS2 CONTINUED...	26.28	52.56



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
121	2	A871136	PASS-THRU HARNESS W/POWER BLOCK 36W CLR: Black	64.80	129.60
		.P			
122	4	A871142	PASS-THRU HARNESS W/POWER BLOCK 42W CLR: Black	68.76	275.04
		.P			
123	6	A871224	POWER HARNESS 24W CLR: Black	105.48	632.88
		.P			
124	8	A871236	POWER HARNESS 36W CLR: Black	105.48	843.84
		.P			
125	4	A871242	POWER HARNESS 42W CLR: Black	112.32	449.28
		.P			
126	2	A876072	BASE INFEEED 6'SEALTIGHT CABLE CLR: Black	118.80	237.60
		.P			
127	6	A873501	TER/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 1 CLR: Flint	19.44	116.64
		.E9			
128	6	A873502	TER/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 2 CLR: Flint	19.44	116.64
		.E9			
129	6	A873503	TER/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 3 CLR: Flint	19.44	116.64
		.E9			



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
130	6	A873504 .E9	TER/2.6/ALIGN DUPLEX RECEPTACLE CIRCUIT 4 CLR: Flint	19.44	116.64
131	2	ALED17UJ MP30	17" DAISY CHAIN LIGHT	218.88	437.76
132	6	ALED31U	31" UNDERCABINET LED LIGHT W/ POWER SUPPLY	425.16	2,550.96
133	2	ALED31U6 0	31" DAISY CHAIN STARTER W/ POWER SUPPLY	448.20	896.40
134	6	OH1536FD .YZ \$(P1) .P28 .OMT	15H X36W FLIPPER DOOR OVERHEAD-NO PULL Sys:Stride-DNA-Optimize P1 Paint Opts Fossil omt Core to Ord key Alike	295.92	1,775.52
135	2	OH1542FD .YZ \$(P1) .P28 .OMT	15H X42W FLIPPER DOOR OVERHEAD-NO PULL Sys:Stride-DNA-Optimize P1 Paint Opts Fossil omt Core to Ord key Alike	309.60	619.20
136	2	TK18742D \$(P1) .P28 \$(L1WDGR) .LWD	DOOR PANEL-LAM W/RADIUS TRIM 87.5HX42W P1 Paint Opts Fossil L1 Woodgrain Lam Opts Lam: Natural Maple-Former D	1,379.16	2,758.32



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
137	1	TBPLATE3 -36 \$(P1) .P28	36W BASE RACEWAY COVER W/3 WINDOWS(KNOCKOUTS) P1 Paint Opts Fossil	27.00	27.00
138	1	TBPLATE3 -42 \$(P1) .P28	42W BASE RACEWAY COVER W/3 WINDOWS(KNOCKOUTS) P1 Paint Opts Fossil	27.72	27.72
139	6	TK315H \$(P1) .P28	HIGH/LOW RADIUS CONNECTOR KIT 15H P1 Paint Opts Fossil	25.92	155.52
140	1	TK315L \$(P1) .P28	L 90-DEGREE RADIUS CONNKIT 15H STACK/SEG P1 Paint Opts Fossil	44.64	44.64
141	5	TK350E \$(P1) .P28	E END TRIM RADIUS CONNKIT 50H BASE PNL P1 Paint Opts Fossil	39.24	196.20
142	4	TK350L \$(P1) .P28	L 90-DEGREE RADIUS CONNKIT 50H BASE PNL P1 Paint Opts Fossil	66.60	266.40
143	1	TK350T \$(P1) .P28	T 3-WAY RADIUS CONNKIT 50H BASE PNL P1 Paint Opts Fossil	66.60	66.60



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
144	2	TK365L \$(P1) .P28	L 90-DEGREE RADIUS CONNKIT 65H BASE PNL P1 Paint Opts Fossil	69.48	138.96
145	2	TK365T \$(P1) .P28	T 3-WAY RADIUS CONNKIT 65H BASE PNL P1 Paint Opts Fossil	69.48	138.96
146	4	TK387L \$(P1) .P28	L 90-DEGREE RADIUS CONNKIT 87.5H BASE PNL P1 Paint Opts Fossil	93.96	375.84
147	2	TK387T \$(P1) .P28	T 3-WAY RADIUS CONNKIT 87.5H BASE PNL P1 Paint Opts Fossil	93.96	187.92
148	2	ZS24 \$(P1) .P28	24W OPEN BOOKSHELF/STRIDE HEIGHT P1 Paint Opts CLR: Fossil	120.24	240.48
149	2	ALKF23C .X201E	CORE REMOVE LOCK KIT Key Number 201E	8.28	16.56
150	2	ALKF23C .X106E	CORE REMOVE LOCK KIT Key Number 106E	8.28	16.56
151	2	ALKF23C .X105E	CORE REMOVE LOCK KIT Key Number 105E	8.28	16.56
152	2	ALKF23C .X104E	CORE REMOVE LOCK KIT Key Number 104E	8.28	16.56



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
153	2	ALKF23C .X103E	CORE REMOVE LOCK KIT Key Number 103E	8.28	16.56
154	3	ALKF23C .X101E	CORE REMOVE LOCK KIT Key Number 101E	8.28	24.84
155	3	ALKF23C .X102E	CORE REMOVE LOCK KIT Key Number 102E	8.28	24.84
156	2	ELF336NA \$(P1) .P28 .E4 .OMT	ESS LAT 36W 39-1/8H 3-12" DRWS ARCH PULL P1 Paint Opts Fossil PULL: Black omt Core to Ord key Alike	587.52	1,175.04
157	6	L919492	DOUBLE RAIL HANGING FILE RACKS(PACK OF 2)	18.72	112.32
158	1	ISLAUTNP NB721BS2 \$(L1CORE) .LAHP .E4	STOR ISLA TOP 72WX18D S2 FSC Wood L1 Core Lam Opts Handspun Pearl Edg: Black	211.20	211.20
159	6	PM187-23 3B \$(P1) .P28 .OMT	ESSENTIALS MOBILE PED 28HX22-7/8DX15W BEVEL PULL P1 Paint Opts Fossil omt Core to Ord key Alike	363.60	2,181.60
160	2	T52436S \$(L1CORE) .LAHP .E4	PRIMARY 24DX36W FLAT EG LAM W/GROMMET L1 Core Lam Opts Handspun Pearl Edg: Black CONTINUED...	142.92	285.84



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
		.P	Plastic Grommet		
161	4	T52442S	PRIMARY 24DX42W FLAT EG LAM W/GROMMETS	159.84	639.36
		\$(L1CORE)	L1 Core Lam Opts		
		.LAHP	Handspun Pearl		
		.E4	Edg: Black		
		.P	Plastic Grommet		
162	4	T52472S	PRIMARY 24DX72W FLAT EG LAM W/GROMMETS	240.84	963.36
		\$(L1CORE)	L1 Core Lam Opts		
		.LAHP	Handspun Pearl		
		.E4	Edg: Black		
		.P	Plastic Grommet		
163	2	T52484S	PRIMARY 24DX84W FLAT EG LAM W/GROMMETS	327.60	655.20
		\$(L1CORE)	L1 Core Lam Opts		
		.LAHP	Handspun Pearl		
		.E4	Edg: Black		
		.P	Plastic Grommet		
164	12	T6BK	WORKSURFACE BRACKET KIT	21.24	254.88
		\$(P1)	P1 Paint Opts		
		.P28	Fossil		
165	6	T6CB18L	CANTILEVER BRACKET 18D LH TERRACE	22.68	136.08
		\$(P1)	P1 Paint Opts		
		.P28	Fossil		
166	6	T6CB24L	CANTILEVER BRACKET 24D LH TERRACE	24.84	149.04
		\$(P1)	P1 Paint Opts		
		.P28	Fossil		
			CONTINUED...		



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay


PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
167	6	TKEP2429 PR \$(P1) .P28	DNA PNL MNT RH 24DX29-1/2H END PNL SUPT P1 Paint Opts Fossil	90.00	540.00
168	1	APTK \$(P1) .P28	TOUCH UP PAINT BRUSH QTY 1 P1 Paint Opts CLR: Fossil	40.53	40.53
169	6	1535-B-2 5A FINISHES * *	RFM, EVOLVE, HI-BACK TASK CHAIR, WITH SEAT SLIDE, 25A ADJ ARMS, MESH BACK BACK:CHARCOAL MESH SEAT:INSIGHT, Ebony STD CASTERS -- GUEST SEATING --	466.20	2,797.20
170	8	K-MUCOSN O .BLK .3 \$(8) ?	SEEK WORK FXD ARMS MESH BK UPH 520.53 SEAT SLVR FR CSTR CLR: Black Multi-surface Caster GRD 8 UPH ----- UNSELECTED ----- Tag 1: STROLL, GROTTO	520.53	4,164.24
171	1	DESIGN	DESIGN SERVICES PREVAILING WAGE, REGULAR HOURS AREA MUST BE FREE AND CLEAR PRIOR TO SCHEDULED INSTALLATION DATE	2,250.00	2,250.00



CAMPBELL KELLER

Environments at Work

3041 65th Street, Suite 3. Sacramento, CA.95820
Ph: 916.737.3300 Fax: 916.737.3305

PROPOSAL 113628D

DATE 11/23/21

PROJECT #605-335

Suzanne Kay

PROPOSAL FOR:

LOS RIOS COMMUNITY COLLEGE DIST
1919 SPANOS CT
ATTN: ACCOUNTING
SACRAMENTO CA 95825-3981

INSTALL AT:

FOLSOM LAKE COLLEGE
10 COLLEGE PKWY
FALCON'S ROOST / CTC DEPT
FOLSOM CA 95630

#	QTY	PRODUCT	DESCRIPTION	SELL	EXTENDED
---	-----	---------	-------------	------	----------

This proposal is valid for 30 days unless otherwise noted.

By signing this proposal, you are acknowledging that you have reviewed the quantities, color and finish selections and are familiar with the products being ordered. All items are custom made to order and can not be returned.

Delivery, Assembly and related services quoted for normal business hours with clear first floor access or access to a freight elevator (No stair carry) unless otherwise noted and quoted.

If wall track is included on proposal, client assumes responsibility for costs due to electrical and/or plumbing within walls.

The total below is for cash/check/EFT purchases. When a credit card is used, a 3% service fee is applied to the total balance noted below. Please acknowledge by initialling if your organization will be paying by credit card _____

PRODUCT TOTAL...: 54,419.62

DESIGN.....: 2,250.00

ACCEPTED BY _____

SALES TAX - 7.75%: 4,217.52

DATE ACCEPTED _____

TOTAL.....: 60,887.14

* CAMPBELL KELLER

PO # 000 1119 145

RCVR # 000 110 2855

6/23/22

Baba

L#1-2 AS PER PS HAVE BEEN REC. 6/28/22mkn

* Ln#1, Ln#2, Rcvd. ✓

— No Parking List